

THOMAS MADDOCK'S SONS COMPANY
TRENTON NEW JERSEY U.S.A.

Digitized by:





ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of: Alan O'Bright





Copyright, 1924 THOMAS MADDOCK'S SONS COMPANY Trenton, N. J.

Vitreous China Plumbing Fixtures



THOMAS MADDOCK'S SONS COMPANY TRENTON · NEW JERSEY · U·S·A·

Established 1850

Tirst in the industry-Goremost since



Plant of Thomas Maddock's Sons Company Largest factory in America devoted exclusively to the manufacture of vitreous china plumbing fixtures

Sanitary Pottery

Its beginning and development



ROM the very earliest times pottery making has been recognized as one of the fine arts. Recently specimens of pottery have been unearthed in Egypt that recognized authorities have accredited to the period of 4000 years B. C., and in the various great museums throughout the world undoubtedly there are other

authentic specimens of Chinese pottery dating from the very earliest times.

The beauty of these examples of art, created during the time that civilization was still in the cradle, has survived during all the ages. The early Greek vase, for instance, with its graceful outline and beautiful decorations still remains the despair of its modern imitators. Egypt, it is true, produced wonderful specimens of pottery before the birth of Christ, but it remained for the Greeks to perfect shapes and decorations. But the latter did little if anything to improve the quality of the ware.

It is to the Chinese that we are indebted for that fine quality of porcelain which is the correct name for china. In the annals of that great traveler, Marco Polo, (A. D. 1254-1324) we read of the rare beauty of the specimens that he brought from China to Pope Gregory X. Later, when Europe opened up trade with China and the mariners of that day brought back samples of early Chinese porcelain, European potters for the first time realized the inferiority of their own product. They were forced to concede the superiority of the Chinese potter whose ware is described in the records of those times as being hard, white, translucent and with a glass-like surface.

The first we learn of porcelain or china being made in Europe was when Johann Bottger (A. D. 1682-1719), a German chemist, accidentally discovered a bed of kaolin. England, where they had

been making pottery for centuries, soon learned the art of making china which was brought to such a high state of perfection by that most famous of all modern potters, Josiah Wedgewood (A. D. 1730-1795). And it is in England where we first find the potter entering the field of the sanitary engineer. The firms of Dolton's and Twyford's, both of which are still in business after several generations, were the first to make sanitary appliances.

As the demand for these very necessary appliances increased throughout England, there was created naturally a market for these fixtures in this country. This market was supplied by the English manufacturers who exported their product to the United States and enjoyed a very good trade for many years.

It was only a short time until American manufacturers were able to improve upon the quality of the English sanitary porcelain ware. Then American inventive genius gradually made improvements in the mechanical operation of the fixtures, until today the sanitary appliances of American manufacturers are recognized as the standard of the world in quality, design and operation.

In the creation and development of the sanitary pottery industry in this country, the firm of Thomas Maddock's Sons Company has played a most important part. Pottery ware of various kinds had been made in the United States for many years, but it was not until 1873 that the American potter attempted to make sanitary ware. Thomas Maddock, founder of Thomas Maddock's Sons Company, was the first to do so and he had the foresight to realize the possibilities of this branch of the pottery industry.

While the early requirements of the trade were only for round basins, French closet bowls and short round hoppers, nevertheless the mechanical difficulties encountered in the production of even such simple pieces would have discouraged any manufacturer who lacked the vision and determination of Thomas Maddock. Then again, in the beginning, great difficulty was experienced in inducing American dealers to accept the domestic ware. The demand was all for the imported product. But this condition lasted for only a comparatively short time because the quality of the home product soon rivaled and then surpassed the foreign wares.

Thomas Maddock's Sons Company was the first to manufacture sanitary ware of a vitreous china body, which was so marked an improvement over the soft porous body originally used.

Through constant development the water closet, which was first made in this country by Thomas Maddock, has resulted in the non-soiling, silent acting, syphon jet of today.


The first vitreous china lavatory was made by Thomas Maddock's Sons Company about 1895. However, it was not until some years later that lavatories were recognized as an important factor in the pottery industry.


The low pattern vitreous china tank, which has practically eliminated the wooden tank, was first produced by this company.


Few people appreciate the importance of these various sanitary plumbing fixtures and the very necessary part they play in our every-day life. Without them it would be impossible for people to live in crowded communities. In large cities disease would run rampant and the plagues of the middle ages would, in all likelihood, be repeated.

The modern bathroom has contributed more than any other one thing to make this a healthful nation and the potter has had a most important responsibility in this development.

It has been said that no nation can progress without sanitary appliances, and that sanitation and civilization go hand in hand. In any event, the lowest type of humanity is to be found where the smallest number of plumbing fixtures are used, and conversely, the highest type of civilization is to be found where the greatest number are in use.







The Vitreous China Lavatory

FULL appreciation of the advantages offered by Madbury Vitreous China Lavatories may best be gained by considering the progress of lavatory construction generally during the last half century.

The type of lavatory that was in the most general use during the latter part of the nineteenth century

was the marble slab and earthenware bowl. A serious objection to this lavatory was that the joint between the slab and bowl was a dirt catcher and a breeding place for disease germs. While this was the most serious objection, it was by no means the only one. It was found that the marble slab stained easily, that it soon lost its lustre and that it was extremely hard to keep clean.

As far back as 1883 Thomas Maddock's Sons Company issued a catalog showing the construction of the bowl and slab in one piece, but, as the use of vitreous china for bathroom fixtures was then unknown, this lavatory was made of common earthenware.

The common earthenware lavatory is most unsatisfactory. Because its body is soft and porous, the glazed surface is subject to crazing and cracking. Furthermore, it is so light and fragile that it is easily broken in handling and in ordinary use. The foreign sanitary manufacturers still use the common earthenware body and have made practically no attempt to produce vitreous china.

Lavatories made of fire clay have been used for a number of years but the sale of this type has diminished, until today it is not a factor in the market. These lavatories are made of a coarse grained body similar to a fire brick and are covered with an enamel. The body is open and porous so that it will absorb moisture and because of the difference in the character of the body and glaze, the surface is subject to crazing.

Cast iron enameled lavatories came into general use as the defects in the two-piece marble slab lavatories became so apparent. Because of the lower price at which the enameled iron fixture is sold it has been used in large volume. However, it is fast being displaced by the vitreous china lavatory because of the merits of a vitreous china body over cast iron. The vitreous china lavatory is more popular because it can easily be kept clean and will not lose its glossy surface in use. It is not affected by acids and its surface cannot peel off.

The use of vitreous china for bathroom fixtures was developed by Thomas Maddock's Sons Company. Vitreous china is a clay material that is fired to a high degree of heat and becomes extremely hard. After the first firing, the hard vitrified body is covered with a glaze and the piece is again fired. The important thing to remember about vitreous china is that this firing is done at such a high temperature that the piece reaches a molten stage and the hard body and glaze become one homogeneous mass. Vitreous china is guaranteed not to craze, crack or discolor under the most severe usage. Acids cannot injure it. The surface is in reality a part of the body and the body itself is hard, non-porous and impervious to moisture —VITRIFIED, as the name implies.

Blows such as would be received from the falling of cups, tumblers and bottles, sometimes break lavatories made of common earthenware and frequently loosen the enamel on other types so that the surface chips or peels off. This cannot happen to vitreous china lavatories because the body and glaze, being one solid mass, cannot be separated.

The first lavatory ever constructed of vitreous china was made by Thomas Maddock's Sons Company about 1895.

The vitreous china lavatories that are made today by this company represent the highest development yet attained in the production of these sanitary fixtures. They are strong and sturdy and cannot be broken by any blow that they would receive even in unusually hard use. They are absolutely sanitary and easy to keep clean. They have certain built-in refinements that are to be found exclusively in lavatories of Thomas Maddock production.

For example, in the Madbury lavatories shown in this catalog there is no exposed metal work above the slab. All-china handles and escutcheons are used on the supply valves and a china knob and escutcheon on the pop-up waste. Danger of breaking the china handles in ordinary use has been eliminated by the adoption of the new webbed type Titan handle described on page 227.

The construction of the integral supply feature in the Madbury lavatory is such that the thorough mixing of hot and cold water is assured before the water reaches the nozzle.

The stream of water is directed toward the centre of the bowl in exactly the right place to wash the hands in running water or to fill a drinking glass conveniently.

The bowl is square and unusually large, allowing more washing space than any other lavatory.


Another feature that is exclusive to Madbury lavatories is the Maddock Overflow Cleansing Device. Recognizing the fact that the overflow channel in ordinary lavatories is a lodging place for filth and disease germs, we perfected this innovation. Its simplicity of operation is indicated by the accompanying illustration. In order to thoroughly cleanse the overflow channel it is only necessary to place a finger over the supply nozzle and turn on the supply valves. The water which ordinarily would run through the nozzle is forced back under pressure and down into the overflow in such a manner that the walls of the overflow are thoroughly flushed and cleansed.

The most recent development in lavatory construction is the integral all-china ice water supply attachment—an exclusive Maddock feature. This is shown on pages 12, 26 and 44. The demand for running ice water in rooms of hotels, apartment houses and various institutions is increasing rapidly. This attachment ideally fills this demand and overcomes the many objections to the separate ice water fixture. In it all metal parts are concealed and working parts can be removed from the top without disconnecting the fixture. The nozzle is entirely above the slab so that it is always clean and a drinking glass can readily be filled.

Vitreous china lavatories are made entirely by hand and, therefore, do not have the harsh lines of those made by mechanical processes. Furthermore, in firing a vitreous china piece to the extreme heat that is necessary to make it non-absorbent, stain-proof and practically unbreakable it becomes molten and often loses its straight lines. Therefore, vitreous china lavatories have a

certain distinctive irregularity of line—the kind of irregularity that distinguishes the hand-wrought silver creation from one that is manufactured by machinery.

It is naturally expected that the original cost of Madbury lavatories will be higher than the cost of ordinary fixtures. The real fact is that the difference is very little and, when it is remembered that it costs just as much in labor, piping, metal trimmings, etc., to install an inferior lavatory, it will be seen that the difference in the cost of the two types INSTALLED is negligible. Furthermore, the thing to consider is not first cost but final cost, and the ultimate cost of Madbury lavatories will actually be very much lower than that of the ordinary fixture because the Madbury will be giving satisfactory service long after the cheaper lavatory has worn out and has been replaced.





MADBURY K-2000

White Vitreous China Straight Front Integral Supply Nozzle Lavatory and Pedestal


SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Plain Square Pedestal and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1¼- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, inches					22x27	24x30
Approximate	weight,	раскес	complete,			
pounds				190	205	230

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



K-2000 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory


Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl

Hooded Overflow Anti-splash Rim Titan Webbed Handles

THE STATE OF THE S

All metal parts above the slab are completely covered with china





MADBURY K-2002

White Vitreous China Straight Front Integral Supply Nozzle Lavatory with China Ice Water Attachment and Pedestal


SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Integral China Ice Water Attachment, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Plain Square Pedestal and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, All-china Self-closing Push Button Ice Water Attachment, Pop-up Waste with All-china Knob and Escutcheon, 1¼- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons. Escutcheons.

DIMENSIONS:

Lavatory, inc	hes	eigh	ıt.	packed complete,				te.	20x24	22x27	24x30	
pounds										193	208	233

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



K-2002 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

In addition to the many Madbury features, this lavatory has an integral china ice water attachment with all metal parts concealed. All working parts can be removed from the top without disconnecting the fixture. The nozzle is entirely above the top of the slab so that it is always clean and a glass can be filled easily. This makes a clean, sanitary attachment and overcomes the many objections to the separate ice water fixture.





MADRID K-2003


White Vitreous China Straight Front Lavatory and Pedestal

SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Plain Square Pedestal and N. P. Brass Wall Brackets. Fitted with N. P. Brass Combination Supply and Pop-up Waste Fixture with China Knob, Compression Supply Valves with China Cross-arm Handles and Escutcheons, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ½-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, inches Approximate weight, pa			nd	22x27	24x30
Pedestal, pounds				195	215



TO STATE OF STATE OF

K-2003 Roughing Measurements Measurements may vary from ¼ to ½ inch





MADRID K-2100


White Vitreous China Straight Front Lavatory and Legs

SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, two Vitreous China Legs with Rods and N. P. Brass Wall Brackets. Fitted with N. P. Brass Combination Supply and Pop-up Waste Fixture with China Knob, Compression Supply Valves with China Cross-arm Handles and Escutcheons, 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons. Escutcheons.

DIMENSIONS:


Lavatory, inc Approximate	hes weig	ght,	pa	.cke	d, i	Lava	ato:	rv a	and	Les	25.	22x27	24x30
pounds												170	195




UNCLOSUS NO STORY OF THE STORY

K-2100 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADBURY K-2101


White Vitreous China Straight Front Integral Supply Nozzle Lavatory and Legs

SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, two Vitreous China Legs with Rods and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ½-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



TO ONCE THE OWNER OF THE PARTY OF THE PARTY

K-2101 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

All metal parts above the slab are completely covered with china





MADRID K-2106


White Vitreous China Straight Front Surgical Lavatory and Legs

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Surgical Lavatory; Size 24x30 inches, with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, two Vitreous China Legs with Rods and N. P. Brass Wall Brackets. Fitted with White Vitreous China Soap Dish, N. P. Brass Knee Action Mixing Valve attached to wall with Lock-shield Controlling Valves and ½-inch I. P. Size Supply Pipes to wall, N. P. Brass Raised Supply Nozzle with Removable Rose Spray, N. P. Brass Waste Plug for continuous flow and ½-inch N. P. Brass "P" Trap to wall with China Escutcheon.

DIMENSIONS:

Lavatory, inches												24x30
	•	•	•									# INOU
A noncorriem ot a sussi what	-	1-	- 4	Y			1	Y			- 4	105
Approximate weight	. D	аск	ea.	. La	varo	DEV	and	Le	gs.	nou	nas	195



K-2106 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADRID K-2200


White Vitreous China Straight Front Lavatory and Leg

SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with N. P. Brass Compression Faucets with China Crossarm Handles, Pop-up Waste with China Knob and Escutcheon, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:


Lavatory, inc												18x20	20x24
Approximate	weig	ght,	pa	cke	d,	Lav	ato	ry	and	Le	g,		
pounds	•		٠	•				٠	•	٠	•	110	135




THE REPORT OF THE PROPERTY OF THE PARTY OF T

K-2200 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADBURY K-2201

White Vitreous China Straight Front Integral Supply Nozzle Lavatory and Leg

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



K-2201 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

TO SHIP YOU WANTED THE PARTY OF THE PARTY OF

All metal parts above the slab are completely covered with china





MADBURY K-2202

White Vitreous China Straight Front Integral Supply Nozzle Lavatory with China Ice Water Attachment and Leg


SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Integral China Ice Water Attachment, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, All-china Self-closing Push Button Ice Water Attachment, Pop-up Waste with All-china Knob and Escutcheon, 1½ or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons. Escutcheons.

DIMENSIONS:

Lavatory, inches 20x24 Approximate weight, packed complete, pounds 133 156

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



THE REPORT OF THE PARTY OF THE

K-2202 Roughing Measurements Measurements may vary from ¼ to ½ inch

In addition to the many Madbury features this lavatory has an integral china ice water attachment with all metal parts concealed. All working parts can be removed from the top without disconnecting the fixture. The nozzle is entirely above the top of the slab so that it is always clean and a glass can easily be filled. This makes a clean, sanitary attachment and overcomes the many objections to the separate ice water fixture.





MADRID K-2203


White Vitreous China Straight Front Lavatory with 6-inch Integral Back and Leg

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Lavatory with 6-inch Integral Back; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and Concealed Hanger. Fitted with N. P. Brass Compression Faucets with China Cross-arm Handles, Pop-up Waste with China Knob and Escutcheon, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:


Lavatory, incl Approximate									18x20	20x24	
pounds									_	130	160



THE STATE OF THE S

K-2203 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





White Vitreous China Straight Front Integral Supply Nozzle Lavatory with 6-inch Integral Back and Leg


SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Lavatory with 6-inch Integral Back; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and Concealed Hanger. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½ or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 36-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons. to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, inches . 19x20 21x24 . 140 175 Approximate weight, packed complete, pounds

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



UNITED TO STATE OF THE PARTY OF

K-2204 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Lerge Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

All metal parts above the slab are completely covered with china





MADRID K-2205


White Vitreous China Straight Front Barber Lavatory and Leg

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Barber Lavatory; Size 20x24 inches, with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with N. P. Brass Combination Shampoo Fixture with N. P. Brass Compression Faucets with China Indexed Handles, Pop-up Waste with China Knob and Escutcheon, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, inches 20x24 Approximate weight, packed, Lavatory and Leg, pounds .



THE REPORT OF THE PROPERTY OF THE PARTY OF T

K-2205 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

The Madrid K-2205 lavatory is also furnished with pedestal instead of leg for use when set in the middle of the room in battery.






White Vitreous China Straight Front Integral Supply Nozzle Barber Lavatory and Leg

SPECIFICATION:

White Vitreous China Straight Front Barber Lavatory; Size 20x24 inches, with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim and Vitreous China Leg with Rod. Fitted with Built-in Compression Supply Valves with China Cross-arm Handles and Escutcheons, Puilt in Compression Shampon Fixture Marineh size with China Supply Valves with China Cross-arm Handles and Escutcheons, Built-in Compression Shampoo Fixture, ½-inch size, with China Cross-arm Handles and Escutcheons, Rubber Hose, Shampoo Sprinkler and Hook, N. P. Brass Waste Plug for continuous Flow, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ½-inch N. P. Brass Supply Pipe to Lavatory with China Escutcheon Escutcheon.

DIMENSIONS:

Lavatory, inches Approximate weight, packed, Lavatory and Leg, pounds.



K-2207 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

The integral supply nozzle and concealed valves eliminate the use of metal fittings on top of the lavatory making it exceedingly easy to keep clean.






White Vitreous China Straight Front Integral Supply Nozzle Public Comfort Station Lavatory and Leg

SPECIFICATION:

White Vitreous China Straight Front Public Comfort Station Lavatory; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim and Vitreous China Leg with Rod. Fitted with Self-closing Foot Acting Push Button Supply Valves built in the floor, N. P. Brass Waste Plug for continuous flow, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 3½-inch N. P. Brass Supply Pipe to Lavatory with China Escutcheon.

DIMENSIONS: Lavatory, inches . 18x20 20x24 Approximate weight, packed, Lavatory and Leg, 138 pounds



K-2208 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

This lavatory is especially adapted for public comfort stations. Having an integral supply nozzle it eliminates all metal fittings from the top of the lavatory, thereby making it easy to keep clean. The valves being concealed in the floor, the user does not touch any part of the fixture. Nothing but vitreous china fixtures should be considered for public comfort stations because of the hard usage to which they are subjected.





MADRID K-2209


White Vitreous China Straight Front Surgical Lavatory and Leg

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Surgical Lavatory; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with N. P. Brass Elbow Action Mixing Valve with Lockshield Controlling Valves, ½-inch Elbow Supplies to wall with N. P. Brass Escutcheons and Spray Regulator Nozzle, N. P. Brass Plug for continuous flow and 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon.

DIMENSIONS:

Lavatory, inc							18 x 20	20x24
pounds						٠,	110	135



TO KIND OF THE WAY OF

K-2209 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

The water is supplied to the K-2209 surgical lavatory by means of an elbow action mixing valve. The hands need not come in contact with any part of the fixture. The glossy finish of the lavatory cannot be marred or tarnished by acids or medicines.





MADORF K-2212

White Vitreous China Round Front Integral Supply Nozzle Lavatory and Leg


SPECIFICATION:

White Vitreous China Round Front Lavatory; Size (see below), with Bowl 6½ inches deep, Integral Supply Nozzle, Cleansing Overflow Feature, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.

This Lavatory is also furnished to be tiled-in.



K-2212 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADORF K-2214

White Vitreous China Round Front Integral Supply Nozzle Tiled-in Lavatory and Leg


SPECIFICATION:

White Vitreous China Round Front Tiled-in Lavatory; Size (see below), with Bowl 6½ inches deep, Integral Supply Nozzle, Cleansing Overflow Feature, Hooded Overflow, Anti-splash Rim and Vitreous China Leg with Rod. Fitted with Built-in Compression Supply Valves with China Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 3%-inch N. P. Brass Supply Pipe to Lavatory with China Escutcheon.

DIMENSIONS:


Lavatory, inc Approximate						18x20	20x24
pounds						110	133

NOTE: This Lavatory is also furnished to be set away from the wall.



TOO XIO HO YOU WOO HO XIO K

K-2214 Roughing Measurements Measurements may vary from ¼ to ½ inch





MADORF K-2216


White Vitreous China Round Front Integral Supply Nozzle Lavatory with China Ice Water Attachment and Leg

SPECIFICATION:
White Vitreous China Round Front Lavatory; Size (see below), White Vitreous China Round Front Lavatory; Size (see below), with Bowl 6½ inches deep, Integral Supply Nozzle, Cleansing Overflow Feature, Integral China Ice Water Attachment, Hooded Overflow, Anti-splash Rim, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, All-china Self-closing Push Button Ice Water Attachment, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons. Escutcheons.

DIMENSIONS:


Lavatory, inches

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes. This Lavatory is also furnished to be tiled-in.



K-2216 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADRID K-2230

White Vitreous China Straight Front Lavatory and Iron Leg


SPECIFICATION:

White Vitreous China Straight Front Lavatory; Size (see below), with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim, Galvanized Iron Leg and N. P. Brass Wall Brackets. Fitted with Vitreous China Soap Dish, N. P. Brass Combination Supply Fixture with Raised Rose Spray Nozzle and China Indexed Handles, N. P. Brass Plug, Chain, Chainstay and Rubber Stopper and ½-inch N. P. Brass "P" Trap.


DIMENSIONS:

Lavatory, inc Approximate	hes wei	ght,	pa	icke	d,	Lav	vato	ory	and	Le	eg,	18x20	20x24	
pounds													135	

NOTE: Specify number desired in battery.



K-2230 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADBIEN K-2234

White Vitreous China Round Front Lavatory with 3-inch Integral Back


SPECIFICATION:

White Vitreous China Round Front Lavatory with 3-inch Integral Back and Depressed Soap Dish; Size (see below), with extra large Bowl 5½ inches deep and open Overflow. Fitted with N. P. Brass Compression Faucets with China Indexed Handles, 1¼-inch N. P. Brass Outlet Plug with Chain and Rubber Stopper and 1¼-inch N. P. Brass "P" Trap.

DIMENSIONS:

Lavatory, inc. Approximate			d, L	Java	ator	v o	nlv.		15x18	17x20
pounds						_			45	55

NOTE: Specify number desired in battery.



THE STREET STREET, STR

K-2234 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADADORE K-2303


White Vitreous China Manicuring Table and Leg

SPECIFICATION:

White Vitreous China Manicuring Table; Size 18x32 inches, Diameter of Bowl 6½ inches, with Integral Supply, Hooded Overflow, Vitreous China Leg with Rod and N. P. Brass Wall Brackets. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Table, inches									18x32
							•		10204
Approximate	weight	macked	comple	40		nda.			150
pprominate	weight,	packeu	Comple	Le,	pou	nas			150
					•			-	



IN THE STATE OF THE PARTY OF TH

K-2303 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

The Madadore manicuring table is a distinct improvement over former types in that the operating fixtures are convenient and are not in the way of the user. With this table the fixtures are accessible to the manicurist from either side. The supply valves may be furnished concealed in the wall and the waste lever below the table.






MADELIA K-2310

White Vitreous China Dressing Table and Legs





K-2310 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

A vitreous china dressing table is a valued addition to the bathroom because the surface cannot become scratched or stained by articles generally used in making the toilet. The top will always remain clean and sanitary because nothing will adhere to its smooth, glossy surface.





White Vitreous China Straight Front Integral Supply Nozzle Lavatory on Concealed Wall Brackets

SPECIFICATION:


White Vitreous China Straight Front Lavatory on Concealed Wall Brackets; Size (see below), with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow and Anti-splash Rim. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, incl Approximate	hes weig	ht,	pac	ked	cor	mpl	ete	less	bra	icke	ts.	18x20	20x24
pounds												110	140

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.

The above Lavatory can be used with any Concealed Wall Bracket that will adapt itself to the Lavatory measurements given on the next page.



NAME OF STREET OF STREET

K-2400 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

All metal parts above the slab are completely covered with china





White Vitreous China Straight Front Integral Supply Nozzle Beauty Parlor Lavatory on Concealed Wall Brackets

SPECIFICATION:


White Vitreous China Straight Front Beauty Parlor Lavatory on Concealed Wall Brackets; Size 20x24 inches, with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow and Anti-splash Rim. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Built-in Compression Shampoo Fixture, ½-inch size, with China Cross-arm Handles and Escutcheons, Rubber Hose, Shampoo Sprinkler and Hook, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 3%-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, inc								20x24
Approximate								
pounds			٠					140

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes and Shampoo Fixture.

The above Lavatory can be used with any Concealed Wall Bracket that will adapt itself to the Lavatory measurements given on the next page.



K-2401 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

All metal parts above the slab are completely covered with china






White Vitreous China Straight Front Integral Supply Nozzle Lavatory with 6-inch Integral Back and Concealed Hanger

SPECIFICATION:

White Vitreous China Straight Front Integral Supply Nozzle Lavatory with 6-inch Integral Back; Size 19x20 inches, with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim and Concealed Hanger. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Pop-up Waste with All-china Knob and Escutcheon, 1½- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

NOTE: As this Lavatory is made with an Integral Supply Nozzle, it is sold only with the fittings as shown, with or without Trap and Supply Pipes.



K-2403 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Features of the Madbury Lavatory

Integral Supply Nozzle Cleansing Overflow Feature Large Square Bowl Hooded Overflow Anti-splash Rim Titan Webbed Handles

TO SHIP YOU WAS A SHIP OF THE SHIP OF THE

All metal parts above the slab are completely covered with china





MADBIEN K-2404


White Vitreous China Round Front Lavatory with 3-inch Integral Back and White Painted Iron Wall Brackets

SPECIFICATION:

White Vitreous China Round Front Lavatory with 3-inch Integral Back and Depressed Soap Dish; Size (see below), with extra large Bowl 5½ inches deep, open Overflow and White Painted Iron Wall Brackets. Fitted with N. P. Brass Compression Faucets with China Indexed Handles, 1½-inch N. P. Brass Outlet Plug with Chain and Rubber Stopper, 1½-inch N. P. Brass "P" Trap to wall with Escutcheon and 3½-inch N. P. Brass Supply Pipes to wall with Wall Escutcheons. Escutcheons.

DIMENSIONS:

Lavatory, inches Approximate weight, pac	ke	d. I	⊿av:	ator	rv a	nd	15x18	17x20	19x24
Brackets, pounds						,	45	55	95



What is the state of the state

K-2404 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADRID K-2407


White Vitreous China Straight Front Lavatory with 6-inch Integral Back and Concealed Hanger

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Lavatory with 6-inch Integral Back; Size 18x20 inches, with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim and Concealed Hanger. Fitted with N. P. Brass Compression Faucets with China Cross-arm Handles, Popup Waste with China Knob and Escutcheon, 1¼-inch N. P. Brass "P" Trap to wall with China Escutcheon and ¾-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons Escutcheons.

DIMENSIONS:

Lavatory, inc Approximate	W	s eigh	t,	pack	ced,	La	vat	ory	and	H	ang	er,	٠	18x20
pounds														108



K-2407 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






White Vitreous China Straight Front Integral Supply Nozzle Tiled-in Barber Lavatory on Concealed Wall Brackets

SPECIFICATION:

White Vitreous China Straight Front Tiled-in Barber Lavatory on Concealed Wall Brackets; Size 20x24 inches, with Integral Supply Nozzle, Cleansing Overflow Feature, Square Bowl 6½ inches deep, Hooded Overflow and Anti-splash Rim. Fitted with Built-in Compression Supply Valves with China Cross-arm Handles and Escutcheons, Built-in Compression Shampoo Fixture, ½-inch size, with China Cross-arm Handles and Escutcheons, Rubber Hose, Shampoo Sprinkler and Hook, N. P. Brass Waste Plug for continuous flow, 1¼- or 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and ½-inch N. P. Brass Supply Pipe to Lavatory with China Escutcheon.

DIMENSIONS:

NOTE: The above Lavatory can be used with any Concealed Wall Bracket that will adapt itself to the Lavatory measurements given on the next page.



THE STREET STREET, STR

K-2409 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

The Madbury K-2409 barber lavatory has the fixtures built in the wall so that the slab is entirely free for use by the barber. Being supported on brackets there is nothing under the lavatory to interfere with the user.






MADCELL K-2419

White Vitreous China Prison Lavatory with Integral Supply Nozzle and 6-inch Integral Back

SPECIFICATION: White Vitreous China Prison Lavatory with 6-inch Integral Back and Corner Soap Dish; Size 13x14 inches, with Integral Supply Nozzle and Slow-draining Outlet carried to wall. Fitted with Selfclosing Push Button Supply Valve and 1½-inch Male Outlet Spud.

DIMENSIONS:										
Lavatory, inches .										13x14
Approximate weight,	pack	red o	com	ple	ete,	pou	nds			75



K-2419 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADSAVE K-2440


White Vitreous China Round Front Space-saving Lavatory with 5-inch Integral Back and Concealed Hanger

SPECIFICATION:


White Vitreous China Round Front Space-saving Lavatory with 5-inch Integral Back; Size 15x24 inches, with Bowl 6½ inches deep, Hooded Overflow, Anti-splash Rim and Concealed Hanger. Fitted with N. P. Brass Compression Faucets with China Indexed Handles, N. P. Brass Plug and Chain with Rubber Stopper, 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 3%-inch N. P. Brass Supply Pipes to wall with Loose Key Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory, ind Approximate		nack	red	ř.	avat	· OFW	· and	4 14	Iano	·	•	,	15x24
pounds		· ·							·	, .			93



K-2440 Roughing Measurements Measurements may vary from ½ to ½ inch





MADENTA K-2451


White Vitreous China Straight Front Integral Supply Nozzle Dental Lavatory with 5-inch Integral Back and Concealed Hangers

SPECIFICATION:

CIFICATION:
White Vitreous China Straight Front Dental Lavatory with 5-inch Integral Back; Size 13x14 inches, with Bowl 5 inches deep, Integral Supply Nozzle and Concealed Hangers. Fitted with Compression Supply Valves with All-china Cross-arm Handles and Escutcheons, Integral China Grid with N. P. Brass Plug for continuous flow, 1½-inch N. P. Brass "P" Trap to wall with China Escutcheon and 3½-inch N. P. Brass Supply Pipes to wall with China Handle Stop Valves and China Wall Escutcheons.

DIMENSIONS:

Lavatory,													13x14
Approxima	ate weigh	nt,	pack	red	con	nple	ete.	poi	ind	3	•	•	65



K-2451 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

No bathroom is complete without a dental lavatory. The use of this fixture eliminates the necessity of cleaning the teeth in the regular lavatory which is a very unsanitary practice.





LAVATORY FITTINGS

K-2600

N. P. Brass Combination Supply and Pop-up Waste Fixture with China Knob, Compression Supply Valves with China Crossarm Handles and Escutcheons. Waste is furnished with 1½-inch O. D. Tail Piece. Valves are threaded for ½-inch iron pipe, male.

K-2605

1¼-inch N. P. Brass Plug with N. P. Chainstay, Chain and Rubber Stopper.

K-2610

11/4-inch N. P. Brass Plug with Vitreous China Chainstay, Chain and Rubber Stopper.

K-2615

N. P. Brass Pop-up Waste with China Knob and Escutcheon. Waste is furnished with 1½-inch O. D. Tail Piece.



LAVATORY FITTINGS

K-2620

N. P. Brass Compression Lavatory Faucet with China Crossarm Handle. Tail Piece threaded for 1/4-inch iron pipe, male.

K-2626

MENT OF MOST OF MEST

N. P. Brass Self-closing Lavatory Faucet with China Indexed Handle. Tail Piece threaded for \(^1\)4-inch iron pipe, male.

K-2628

N. P. Brass Push Button Selfclosing Lavatory Faucet with China Index. Tail Piece threaded for ¼-inch iron pipe, male.


K-2629

N. P. Brass Compression Lavatory Faucet with China Indexed Handle. Tail Piece threaded for 1/4-inch iron pipe, male.

K-2630

N. P. Brass Quick Compression Lavatory Faucet with China Handle. Tail Piece threaded for ¼-inch iron pipe, male.








MADORIAN K-2800

White Vitreous China Pedestal Drinking Fountain

supply Pipe to floor with Self-closing China Oscillating Hand Loose Key Stop Valve and 11/4-inch Waste Pipe to floor in Fountain.	3/8-inch
DIMENSIONS: Height, inches Approximate weight, packed, Fountain, including fittings, pounds	30 105


SPECIFICATION:



nother control of the control of the

K-2800 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch



This illustration shows how the supply and waste fittings of the Madorian fountain are concealed in the earthenware.






MADOLA K-2806


White Vitreous China Wall Hanging Drinking Fountain


White Vitreous China Wall Hanging Drinking Fountain witl Vitreous China Bubbling Cup and Integral Housing for Fittings Fitted with ¼-inch Supply to wall with Self-closing China Oscillating Handle and Loose Key Stop Valve and 1¼-inch Waste Fixture with Trap.
Approximate weight, packed, Fountain, including fittings, pounds



THE CONTRACTOR OF THE PARTY OF

K-2806 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADANGLO K-2810

White Vitreous China Straight Front Wall Hanging Drinking Fountain with Integral Back


SPECIFICATION:
White Vitreous China Straight Front Wall Hanging Drinking Fountain with 73/4-inch Integral Back; Size 123/x18 inches, with Concealed Hangers. Fitted with 3/8-inch N. P. Brass Self-closing Push Button Faucet with Controlling Stop, China Bubbling Cup, 3/8-inch N. P. Brass Supply Pipe with Self-closing China Oscillating Handle and Loose Key Stop Valve and 11/4-inch N. P. Brass "P" Trap to wall with N. P. Escutcheon.


DIMENSIONS:



K-2810 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch







The importance of the Bidet in the modern bathroom

HE Bidet (pronounced Be-DAY) is an important sanitary fixture which has not been used extensively in this country due to the lack of knowledge of its health protecting features. For years it has been in common use in Europe and all Latin-American countries. Through ignorance of its advantages many regard

the bidet as a fixture to be used for birth-control. This is obviously incorrect because a plain water douche cannot accomplish this purpose.

The bidet fixture is an appliance designed to maintain for the user a constant state of cleanliness of the private parts. It is made entirely of white vitreous china, is $14\frac{1}{2}$ inches in width and has a height of 15 inches from the top of the rim to the floor.

It is equipped with hot and cold supply valves and a pop-up waste to retain water in the bowl or to drain it when desired. The inside walls of the bowl are washed by a flushing rim on the same principle as the watercloset, although the bidet is not designed nor intended to carry off human waste matter.

The bidet is also provided with an integral douche or jet, operated when desired by means of a transfer valve which directs a stream or column of water upward from the bottom of the bowl. (See cross-section illustration on page 93.)

This douche is formed by a cluster of small holes so arranged as to direct the water to one central point, thereby forming a solid stream. In the earlier models of bidets the douche was made of brass in the form of a nozzle to which a rubber tube with a syringe appliance might be attached for women's use. The use of the bidet as a syringe was a dangerous practice, however, as uniform temperature of the water could not be assured while the douche was in use. Turning on the cold water in another part of the house was likely to raise the temperature of the douche, and burning or scalding sometimes resulted.

The brass nozzle douche was also objectionable because the user would strike it with the fingers while washing.

After a bowel movement it is impossible to cleanse the anus with dry paper. This practice, the medical fraternity tells us, is respon-

sible for a large proportion of the existing cases of hemorrhoids or piles. The use of the bidet does much to eliminate the possibility of developing hemorrhoids or piles, and is also recommended for their treatment. After each passage, the anus actually should be washed with water. (The bidet is usually installed alongside of the watercloset.)

With women, the bidet should be an indispensable bathroom fixture, because proper attention to health requires bathing of the genital organs more frequently than can be accomplished conveniently with the bath tub. It is essential and conducive to good health to wash these parts twice daily.

This use for the bidet is also essential for men, because the ordinary tub or shower bath is not sufficient to secure a similar degree of cleanliness. As with women, men too should bathe these parts twice each day.

Women will find the bidet a very important and convenient fixture for use during their menstruating period. The genital organs should always be thoroughly cleansed when changing the sanitary pad, and the bidet is the proper fixture for this use. The bidet is particularly desirable in manufacturing plants where a number of women are employed or in department stores, women's colleges and other institutions.

Another important use of the bidet is that of a foot bath. As it is 15 inches high from the floor to the top of the rim, it can be used very comfortably as a foot bath. When the waste plug is closed the bidet will hold about 3 inches of water. There will be no hesitancy about using the bidet as a foot bath after it has been used for bathing other parts because, being made of pure white vitreous china and having a flushing rim, it can be kept spotlessly clean and sanitary by simply rinsing with water or wiping with a damp cloth. It cannot tarnish or discolor.

The private parts may be washed by the bidet with or without the use of the douche. By closing the pop-up waste the bowl may be filled and the washing done with the hand. After this the parts may be rinsed by using the douche. If preferred the entire washing may be done with the douche.

In using the bidet it is not necessary to undress. The clothing is in the same position as when using the watercloset.

The use of the bidet is a clean habit and when once acquired it becomes an important part of the sanitary precautions of our daily life. Its importance in promoting better health can hardly be overestimated.




MADELTA K-2828

White Vitreous China Flushing Rim Pedestal Bidet

SPECIFICATION:


White Vitreous China Flushing Rim Pedestal Bidet; Height 15 inches, Opening of Bowl 10x16 inches. Fitted with two Compression Supply Valves with All-china Cross-arm Handles and Escutcheons supplying hot and cold water to Flushing Rim; Pop-up Waste with All-china Knob and Escutcheon and 1½-inch O. D. Tail Piece and ¾-inch N. P. Brass Supply Pipes to floor with China Floor Escutcheons.

Approximate weight, packed complete, pounds 85



TOUR OF STREET OF STREET

K-2828 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADET K-2829

White Vitreous China Flushing Rim Pedestal Bidet with Douche

SPECIFICATION:


White Vitreous China Flushing Rim Pedestal Bidet with Douche; White Vitreous China Flushing Rim Pedestal Bidet with Douche; Height 15 inches, Opening of Bowl 10x16 inches. Fitted with four Compression Supply Valves with All-china Cross-arm Handles and Escutcheons supplying hot and cold water to Flushing Rim and Centre Douche, Pop-up Waste with All-china Knob and Escutcheon and 1½-inch O. D. Tail Piece and ¾-inch N. P. Brass Supply Pipes to floor with China Floor Escutcheons.

Approximate weight, packed complete, pounds 90



ACCOMPANIES TO THE STATE OF THE

K-2829 Roughing Measurements Measurements may vary from ¼ to ½ inch






MADUN K-2830

White Vitreous China Flushing Rim Pedestal Bidet with Douche (For Cold Water Only)

SPECIFICATION:


CIFICATION:
White Vitreous China Flushing Rim Pedestal Bidet with Douche;
Height 15 inches, Opening of Bowl 10x16 inches. Fitted with two
Compression Supply Valves with All-china Cross-arm Handles and
Escutcheons supplying cold water to Flushing Rim and Centre
Douche, Pop-up Waste with All-china Knob and Escutcheon and
11/4-inch O. D. Tail Piece and 3/6-inch N. P. Brass Supply Pipes to
floor with China Floor Escutcheons.

Approximate weight, packed complete, pounds 85



DESCRIPTION OF THE PARTY OF THE

K-2830 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADVAL K-2831

White Vitreous China Flushing Rim Pedestal Bidet with Douche


SPECIFICATION:


White Vitreous China Flushing Rim Pedestal Bidet with Douche; Height 15 inches, Opening of Bowl 10x16 inches. Fitted with two Compression Supply Valves with All-china Cross-arm Handles and Escutcheons and Transfer Valve with All-china Lever Handle and Escutcheon, supplying hot and cold water to either Flushing Rim or Centre Douche; Pop-up Waste with All-china Knob and Escutcheon and 1½-inch O. D. Tail Piece and ¾-inch N. P. Brass Supply Pipes to floor with China Floor Escutcheons.


Approximate weight, packed complete, pounds 92



K-2831 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch







The evolution and development of the Water Closet

HE most important fixture of all sanitary appliances is probably the water closet. The designers of this fixture have attained a very high standard of efficiency considering the difficult function this device has to perform. To make a water closet that will carry off human waste, that will be self-cleansing,

sanitary, non-soiling and at the same time noiseless in operation, has been no small task to accomplish.

The first use of water closets dates back to about 1850, when the city of London compelled house owners to connect with the sewer. However, as early as A. D. 100 the Roman Emperor, Nerva Augustus, commissioned the military engineer Frontinus to prepare a



report of the conditions of the water supply of Rome with particular reference to sanitation. This report is interesting as it shows a very liberal use of water and tends to confirm the impression that the troughs or depressions afterwards found in the Roman baths were used for the purpose of carrying off fæcal matter.

The first real water closet was that known as the pan closet (figure 1) which was in general use until about 1865 when it was displaced by the valve closet (figure 2). This latter type was a marked

improvement over the pan

closet but it was far from being a sanitary fixture.

The succeeding steps seem to have been taken by the potter, and rightfully so because it was soon demonstrated that water closets made of any material other than earthenware would not be strictly sanitary. Consequently the inventor found it necessary to confine his improvements to a point where it was possible for the potter to reproduce his idea in clay.





The next development was the production of the washout closet about 1875 (figure 3). This was the first type of allearthenware water closet and was originally made in two pieces, the trap and bowl being fastened together. Later the potter was able to produce the washout in one piece, and this was a marked advance in the art of sanitary pottery. This closet remained in general use until about the year 1900 when the washdown type (figure 4) began to take its place. Today practically every plumbing ordi-

nance prevents the use of washout closets.


As early as the year 1880, Wm. Smith, of California, patented a

jet closet (figure 5) the development of which was slow because of the difficulties it presented to the potter. Later by combining the syphonic principle (a feature which the Smith closet did not have) with the jet, the syphon jet principle of operation was perfected about 1895.

The wall-hanging type of closet was first introduced in this country by E. G.




Watrous in about 1905.



The washdown and syphon jet are the types now in general use. These types have supplanted all others with the exception of the reversed trap which is a recent development. This latter is a combination of the washdown and syphon jet having the action of the former and an appearance similar to the latter.



During all the time in which new principles of operation were being developed the potter had many difficulties to overcome. As the design and mechanical operation improved, a better basic product was necessary if the water closet was to be made an absolutely sanitary fixture. Originally water closets were made of a soft, porous body which



would craze and absorb liquid. The fixture under these conditions soon became offensive. The demand naturally was for a material



which would not absorb—one that would be vitreous, with a hard, smooth surface that would not craze. This presented a big problem to the sanitary potter, for while china having these properties was being made, it was no small accomplishment to make the large sanitary pieces of this material. And it is actually of china that water closets are made today by the better manufacturers.

Recent years have witnessed the many improvements that have made the water closet the sanitary fixture it is today. The non-soiling feature is one which has been given very careful thought by the designers. This has resulted in the extended front bowl and cut back rim at the rear of the bowl, two improvements very necessary to prevent soiling. The

thin rim which gives a minimum of unwashed surface inside the bowl practically eliminates the possibility of soiling above the flushing point. (Note figures 6 and 7 which illustrate these features.)

A comparison of the three types of bowls now on the market will best illustrate the superiority of the syphon jet as compared with either the washdown (figures 10 and 11) or reversed trap (figures 8 and 9). Compared with a syphon jet (figures 6 and 7), the washdown and reversed trap have a very small surface of water. This allows much more fouling space inside the bowl.





The washdown, while positive in action, does its work in a very clumsy way. When the tank or valve is operated, the water in the bowl raises and the contents of the bowl is churned around before syphonic action is started. This objection cannot be overcome in the washdown or reversed trap types because of the construction. However, the action is improved by the addition of the jet. These bowls are noisy in operation and do not have as large an opening through the trap.

Figures 6 and 7 illustrate a syphon jet

showing the larger water

surface and large trap opening. The operation of the syphon jet is very much superior to that of the washdown or reverse trap. Immediately the tank or flush valve is operated, the jet causes the syphonic action to start. The contents of the bowl enter the up leg as the rim wash starts. Consequently, the bowl is emptied quietly and without the churn-



ing effect produced in either the washdown or reversed trap.

The syphon jet is the only style of water closet on which a noiseless feature can be attached. It should be remembered that if a



really quiet acting closet is wanted, it must be operated by a low pattern vitreous china tank and not by a flush valve.

While the silent feature reduces the noise when the valve is used, the closet will not work as quietly on a valve as it will under a low pattern vitreous china tank.

The most modern water closet of today is the Ariston-Madera Silent, a syphon jet that combines large water surface, extended front and cut back rim bowl, thin non-soiling rim and silent feature.



ARISTON-MADERA SILENT K-2900


White Vitreous China Non-soiling Silent Action Syphon Jet Closet; Top Inlet, Floor Outlet with K-3112 Tank

SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front and back, with heavy White Covered Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull lever with China Handle, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and ½-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2900 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






White Vitreous China Non-soiling Silent Action Syphon Jet Closet; Top Inlet, Floor Outlet with K-3112 Tank

SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat, no Cover, open front and back, with heavy White Covered Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull Lever with China Handle, Silent Acting Back Supply Ball Cock and Extra Heavy Flush Valve with Large Overflow.

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2901 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






White Vitreous China Non-soiling Silent Action Syphon Jet Closet; Top Inlet, Floor Outlet with K-3112 Tank

SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover with Concealed Post Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull Lever with China Handle, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and 3%-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2902 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





White Vitreous China Non-soiling Silent Action Syphon Jet Closet; Top Inlet, Floor Outlet with K-3110 Tank


SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front and back, with heavy White Covered Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3110 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and ¾-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

238

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2903 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






White Vitreous China Non-soiling Silent Action Syphon Jet Closet; Top Inlet, Floor Outlet with K-3110 Tank

SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover with Concealed Post Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3110 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and ¾-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2904 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





ARISTON-MADERA SILENT K-2905 S V

White Vitreous China Non-soiling Syphon Jet Closet; Side Inlet, Floor Outlet with Flush Valve


SPECIFICATION:

White Vitreous China Non-soiling Syphon Jet Closet with Side Inlet, Floor Outlet, 11/4- or 11/2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 141/2 inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 11/4-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front and back, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight	, 1	packed	, C1	oset	onl	y,	pound	s.		90
Seat only, pounds	٠									14

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2905 S V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch







ARISTON-MADERA SILENT K-2908 V


White Vitreous China Non-soiling Syphon Jet Closet; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:

White Vitreous China Non-soiling Syphon Jet Closet with Extended Top Inlet, Floor Outlet, 1½- or 1½-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 1½- inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front and back, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight,	pa	acke	ed,	Clo	set	only	7, 1	oun	ıds			95
Seat only, pounds .												14

NOTE: This Closet is also made 13 inches high. Seat substitutions page 186.



K-2908 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






ARISTON-MADERA SILENT K-2911 V

White Vitreous China Non-soiling Syphon Jet Closet; Back Inlet, Floor Outlet with Concealed Seat Action Flush Valve

SPECIFICATION:

White Vitreous China Non-soiling Syphon Jet Closet with Back Inlet, Floor Outlet, 11/4- or 11/2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 141/2 inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 11/4-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front and back, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and Concealed Seat Action Flush Valve.

Approximate weight,	pa	acke	d, C	Closet	only	po	unds			95
Seat only, pounds .										14
NOTE: This Closet is also made	de :	13 inc	hes	high.						



K-2911 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






White Vitreous China Non-soiling Silent Action Syphon Jet Child's Closet; Top Inlet, Floor Outlet with K-3111 Tank


SPECIFICATION:


White Vitreous China Non-soiling Silent Action Syphon Jet Child's Closet with Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 10 inches, Opening of Bowl 7x10 inches, Water Surface 7x9½ inches, Sanitary Rim with 1¼-inch downward projection inside of Bowl and 2-inch Water Seal. White Celluloid-covered Seat and Cover, open front and back, with heavy White Covered Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and 3%-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.



K-2913 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





NA STANDARDS OF THE STANDARDS

The Ariston-Madera Silent K-2913 being 10 inches high is made especially for use by small children. It is constructed along the same lines as the regular Ariston-Madera Silent closet. It has a full trap opening and works with a strong, silent action.





White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Raised Rear Vent; Top Inlet, Floor Outlet with K-3112 Tank


SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Raised Rear Vent entirely above top of Rim, Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height 14½ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat, no Cover, open front and back, with Concealed Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull Lever with China Handle, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and 3½-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

Approximate weight, packed complete, pounds 238


NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



WATER TO THE THE TANK OF THE PARTY OF THE PA

K-2915 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Raised Rear Vent; Top Inlet, Floor Outlet with K-3110 Tank


SPECIFICATION:

White Vitreous China Non-soiling Silent Action Syphon Jet Closet with Raised Rear Vent entirely above top of Rim, Extended Top Inlet, Floor Outlet, 2-inch Brass Spud, Extended Front Bowl and Cut-back Rim flushed all the way around. Height $14\frac{1}{2}$ inches, Opening of Bowl 10x16 inches, Water Surface 10x14 inches, Sanitary Rim with $1\frac{1}{4}$ -inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover, closed front, open back, with Concealed Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3110 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Silent Acting Ball Cock, Extra Heavy Flush Valve with Large Overflow and $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

Approximate weight, packed complete, pounds 240

NOTE: This Closet is also made 13 inches high.

Seat substitutions page 186.



K-2918 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADERA K-3000


White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with K-3112 Tank

SPECIFICATION:


CIFICATION:
White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 10x12 inches, Water Surface 10x12½ inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull Lever with China Handle, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ¾-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon. Wall Escutcheon.

Approximate weight,	, (comb	ina	tion	pa	acke	ed	com	plet	e i	n (one	
crate, pounds .													235
Closet only, pounds													90

Seat substitutions page 188.



K-3000 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madera closet. It will be seen that this closet is constructed along heavy, massive lines.

DESCRIPTION OF THE PARTY OF THE





MADERA K-3001


White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with K-3110 Tank

SPECIFICATION:


White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 10x12 inches, Water Surface 10x12½ inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3110 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ½-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

Approximate	weight,	CC	mb	ina	tion	pa	acke	d	com	plet	e i	n	one	
crate, po														233
Closet only, p	oounds													90

Seat substitutions page 188.



K-3001 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madera closet. It will be seen that this closet is constructed along heavy, massive lines.






MADERA K-3001 V

White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with Flush Valve


SPECIFICATION: White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 10x12 inches, Water Surface 10x12½ inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight,	pa	cked	, C1	oset	only,	pou	inds			90
Seat only, pounds .			٠							14

Seat substitutions page 188.



K-3001 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madera closet. It will be seen that this closet is constructed along heavy, massive lines.






MADERA K-3003

White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with K-3112 Tank

SPECIFICATION:
White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet, Extended Front Lip and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 10x14 inches, Water Surface 10x13½ inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front, with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3112 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Under-pull Lever with China Handle, Heavy Brass Ball Cock, Flush Valve with Large Overflow and %inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

Seat substitutions page 189.



K-3003 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADERA K-3004


White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with K-3110 Tank

SPECIFICATION:


White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet, Extended Front Lip and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 10x14 inches, Water Surface 10x13½ inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front, with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3110 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ¾ inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon.

Approximate weigh							
crate, pounds .							238
Closet only, pounds							95

Seat substitutions page 189.



K-3004 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADERA K-3005 V


White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:

CIFICATION:
White Vitreous China Syphon Jet Closet with Extended Top Inlet,
Floor Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud.
Height 15 inches, Opening of Bowl 10x14 inches, Water Surface
10x13½ inches and 3-inch Water Seal. Mahogany Finished Seat,
no Cover, open front, with heavy N. P. Brass Bar Hinge, White
Vitreous China Bolt Caps and N. P. Brass Flush Valve with China
Oscillating Handle.


Approximate weight	t, :	pack	ed	, Cl	oset	onl	y,	pou	nds			95
Seat only, pounds												14

Seat substitutions page 189.



TO STATE OF THE PROPERTY OF THE PARTY OF THE

K-3005 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADERA K-3010 V

White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with Seat Action Flush Valve

OPE	CI	L T	CA	TI	UN
	X3	71		X 75	

White Vitreous China Syphon Jet Closet with Extended Top Inlet, Floor Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 10x14 inches, Water Surface 10x13½ inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Seat Action Flush Valve.

Approximate weigh	ht,	pack	red,	, Cl	oset	on	ly,	pou	nds			95
Seat only, pounds												14



STANDARD TO THE TANK OF THE PARTY OF THE PAR

K-3010 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADISON K-3017

White Vitreous China Reversed Trap Syphon Action Closet with Jet; Back Inlet, Floor Outlet with K-3111 Tank


SPECIFICATION:

White Vitreous China Reversed Trap Syphon Action Closet with Jet, Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 10x12 inches, Water Surface $8\frac{1}{2}x10\frac{1}{2}$ inches and 3-inch Water Seal. Mahogany Finished Seat and Cover with heavy N. P. Brass Bar Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock and Flush Valve and $\frac{3}{8}$ -inch I. P. Size N. P. Brass Supply Pipe to floor with China Floor Escutcheon.


Approximate	weight,	со	mb	inat	tion	pa	cke	d	com	plet	e i	n c	ne	
crate, po	unds .													166
Closet only, r	ounds					2								70

NOTE: This Closet is also made with extended front lip.

Seat substitutions page 188



K-3017 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madison closet.

WHITE STATE OF THE LONG AND ADDRESS.





MADISON K-3017 S V


White Vitreous China Reversed Trap Syphon Action Closet with Jet; Side Inlet, Floor Outlet with Flush Valve

SPECIFICATION:

CIFICATION:
White Vitreous China Reversed Trap Syphon Action Closet with Jet, Side Inlet, Floor Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 10x12 inches, Water Surface 8½x10½ inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.


Approximate	weight,	pacl	ked,	CI	loset	only	7,	pounds			70
Seat only, por	unds .								٠.		14

NOTE: This Closet is also made with extended front lip. Seat substitutions page 188.



TO STATE OF THE PROPERTY OF THE PARTY OF THE

K-3017 S V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADORIC K-3020


White Vitreous China Syphon Action Washdown Closet; Back Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:

CIFICATION:
White Vitreous China Syphon Action Washdown Closet with Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 7x7 inches and 3-inch Water Seal. Mahogany Finished Seat and Cover with heavy N. P. Brass Bar Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever, Heavy Brass Ball Cock and Flush Valve and 3/8-inch I. P. Size N. P. Brass Supply Pipe to floor with N. P. Brass Floor Escutcheon Floor Escutcheon.


Approximate weight,	COI	mbi	nat	ion	pa	cked	1 0	comp	lete	in	on	e	
crate, pounds .													155
Closet only, pounds													53

NOTE: This closet can also be furnished with jet. Seat substitutions page 188.



K-3020 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madoric closet.





MADORIC K-3020 W

White Vitreous China Syphon Action Washdown Closet; Back Inlet, Floor Outlet with K-3111 Tank


SPECIFICATION:

White Vitreous China Syphon Action Washdown Closet with Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 7x7 inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover with heavy N. P. Brass Bar Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever, Heavy Brass Ball Cock and Flush Valve and 3/2-inch I. P. Size N. P. Brass Supply Pipe to floor with N. P. Brass Floor Escutcheon.

Approximate weight,	со	mb	inat	tion	pa	acke	d	com	plet	e i	n c	ne	
crate, pounds .													155
Closet only, pounds			٠		٠								53

NOTE: This Closet can also be furnished with jet.

Seat substitutions page 188.



TO STATE OF THE ST

K-3020 W Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADORIC K-3020 V


White Vitreous China Syphon Action Washdown Closet; Back Inlet, Floor Outlet with Flush Valve

SPECIFICATION

White Vitreous China Syphon Action Washdown Closet with Back Inlet, Floor Outlet and 1½ or 1½ inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 7x7 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight	, I	oack	ed,	Clo	oset	only	po	unds	١.		53
Seat only, pounds											13

NOTE: This Closet can also be furnished with jet. Seat substitutions page 188.



K-3020 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADERNO K-3023

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl; Back Inlet, Floor Outlet with K-3111 Tank


SPECIFICATION:

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl, Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x14½ inches, Water Surface 7x7½ inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat and Cover with Concealed Post Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ¾-inch I. P. Size N. P. Brass Supply Pipe to floor with China Floor Escutcheon.

Seat substitutions page 187.



K-3023 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The dotted line on the top view shows the top of an ordinary bowl. It will be seen by this that the Maderno has an extended front bowl and cut back rim. It also has a jet and a thin sanitary rim.






MADERNO K-3023 W

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl; Back Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:


White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl, Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x14½ inches, Water Surface 7x7½ inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. White Celluloid-covered Seat and Cover with Concealed Post Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and 3½-inch I. P. Size N. P. Brass Supply Pipe to floor with China Floor Escutcheon.

Seat substitutions page 187.



K-3023 W Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADERNO K-3025

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl; Back Inlet, Floor Outlet with K-3111 Tank


SPECIFICATION:

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl, Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x14½ inches, Water Surface 7x7½ inches, Sanitary Rim with 1½-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat and Cover, open front, with Concealed Post Hinge. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ¾-inch I. P. Size N. P. Brass Supply Pipe to floor with China Floor Escutcheon.

Seat substitutions page 187.



K-3025 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADERNO K-3025 V


White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl; Back Inlet, Floor Outlet with Flush Valve

SPECIFICATION:

White Vitreous China Syphon Action Washdown Closet with Jet and extra long Bowl, Back Inlet, Floor Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x14½ inches, Water Surface 7x7½ inches, Sanitary Rim with 1¼-inch downward projection inside of Bowl and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open Front, with Concealed Post Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle. China Oscillating Handle.

Approximate weight,	pacl	red,	Cl	oset	only,	pou	ınds			66
Seat only, pounds .										14

Seat substitutions page 187.



CONTRACTOR OF THE SECOND

K-3025 V Roughing Measurements



THOMAS MADDOCK'S




MADEX K-3027

White Vitreous China Syphon Action Washdown Closet with Integral China Seat; Back Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:

White Vitreous China Syphon Action Washdown Closet with Integral China Seat, Back Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 8x11 inches, Water Surface 7x7 inches and 3-inch Water Seal. White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever, Heavy Brass Ball Cock and Flush Valve and 3/8-inch I. P. Size N. P. Brass Supply Pipe to floor with N. P. Brass Floor Escutcheon.

Approximate weight,	CC	mb	ina	tion	pa	acke	d	com	plet	e i	n o	ne	
Closet only pounds.	٠		٠										140
Closet only, pounds	•												



K-3027 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADAWAN K-3030


White Vitreous China Giant Washdown Closet; Back Inlet, Floor Outlet with K-3115 High Tank

SPECIFICATION:


White Vitreous China Giant Washdown Closet with Back Inlet, Floor Outlet and 1½- or 1½- inch Brass Spud. Height 16½ inches, Opening of Bowl 10x12 inches, Water Surface 5x6 inches and 2½- inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge. K-3115 White Vitreous China High Tank, fitted with N. P. Brass Flush Pipe, N. P. Brass Chain with China Handle, Heavy Brass Ball Cock and Flush Valve and N. P. Brass Tank Supports.

Approximate weight,	pac	ked	со	mp	lete,	po	ounc	is			200
Closet only, pounds	٠	٠	•	٠	٠	•	٠				82

NOTE: This Closet is also furnished with Integral China Seat.



K-3030 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madawan giant washdown. This closet is made especially for factory use.

MARKET OF THE PROPERTY.






MADOVA K-3032 V

White Vitreous China Extra Heavy Angle Flanged Integral China Seat Prison Washdown Closet; Back Inlet, Wall Outlet with Concealed Flush Valve

SPECIFICATION:


White Vitreous China Extra Heavy Angle Flanged Prison Washdown Closet with Integral China Seat, Back Inlet, Wall Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 9x11 inches, Water Surface 6x7½ inches and 2¼-inch Water Seal. Concealed Flush Valve with China Push Button.

Approximate weight, packed, Closet only, pounds



THE REPORT OF THE PROPERTY OF THE PARTY OF T

K-3032 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch








MADCLIFF K-3034

White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with K-3111 Tank

White Vitreous China Syphon Jet Closet with Top Inlet, Floo Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bow 11x13 inches, Water Surface 10x12 inches and 3-inch Water Seal White Celluloid-covered Seat and Cover with heavy N. P. Bras Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top side Leve with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and 3/8-inch I. P. Size N. P. Brass Supply Pipe to floor with China Handle Stop Valve et al.
ply Pipe to floor with China Handle Stop Valve and China Floor Escutcheon.

Approximate weight,	co	mbi	na	tion	p	acke	ed	com	plet	te i	n (one	
cratt, poullus.													400
Closet only, pounds	•	•	•	•	•		٠	٠	•				74

Seat substitutions page 188.



Indian state of the contract o

K-3034 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADCLIFF K-3035


White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:


White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 10x12 inches and 3-inch Water Seal. Mahogany Finished Seat and Cover with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and 3/8-inch I. P. Size N. P. Brass Supply Pipe to floor with China Handle Stop Valve and China Floor Escutcheon.

Approximate	weight,	co	mbi	inat	ion	pa	cke	d d	com	plet	e i	n c	ne	
crate, por	unds .													180
Closet only, p	ounds	•												74

Seat substitutions page 188.



K-3035 Roughing Measurements Measurements may vary from ¼ to ½ inch



The accompanying illustration shows the cross section of the Madcliff Syphon Jet closet.






MADCLIFF K-3035 V

White Vitreous China Syphon Jet Closet; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:


CIFICATION:
White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 10x12 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge. White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weigh	ht,	pac	ked,	CI	oset	on	ıly,	pou	ınds			74
Seat only, pounds	•	•		٠	•	٠	٠	٠				13
			bstiti									



K-3035 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madcliff Syphon Jet closet.






MADCLIFF K-3035 S V

White Vitreous China Syphon Jet Closet; Side Inlet, Floor Outlet with Flush Valve


SPECIFICATION:
White Vitreous China Syphon Jet Closet with Side Inlet, Floor Outlet and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 10x12 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight	nt.	paci	ked,	Cl	oset	on	ly,	pou	ınds			74
Seat only, pounds		•	•	٠	•	•	٠					13
	Sea	at su	bstit	utio	ns pa	age	188.					



THE PROPERTY OF THE PARTY OF TH

K-3035 S V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch



The accompanying illustration shows the cross section of the Madcliff Syphon Jet closet.






MADCLIFF K-3036

White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION: White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet, Extended Front Lip and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front, with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and 3/6-inch I. P. Size N. P. Brass Supply Pipe to floor with China Handle Stop Valve and China Floor Escutcheon.	
/8 men 1. F. Size IV. P. Brass Supply Dine to floor with Ot.	White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet, Extended Front Lip and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover, open front, with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cook, Flush Value with Large 2012.
	eon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and %-inch I. P. Size N. P. Brass Supply Pipe to description

Approximate weight,	combination					acke	d	com	plet	e i	n c		
crate, pounds. Closet only, pounds													
closet only, poullds		٠	٠				٠						78

Seat substitutions page 189.



CONTROL OF CONTROL OF CONTROL

K-3036 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADCLIFF K-3037


White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:

CIFICATION:
White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet, Extended Front Lip and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat and Cover, open front, with heavy N. P. Brass Bar Hinge. One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and ½-inch I. P. Size N. P. Brass Supply Pipe to floor with China Handle Stop Valve and China Floor Escutcheon.

Approximate weight,	co	mb	inat	tion	pa	acke	d	comp	lete	in	one	
crate, pounds. Closet only, pounds								•				

Seat substitutions page 189.



K-3037 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADCLIFF K-3037 V


White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:


White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight	,	pack	ed,	Cl	oset	only	,	poun	ds			78
Seat only, pounds		٠	٠.	٠								14

Seat substitutions page 189.



K-3037 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADCLIFF K-3037 S V


White Vitreous China Syphon Jet Closet with Extended Front Lip; Side Inlet, Floor Outlet with Flush Valve

SPECIFICATION:


CIFICATION:
White Vitreous China Syphon Jet Closet with Side Inlet, Floor Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight,	pac	ked,	Clo	set	only,	pou	nds			78
Seat only, pounds .	•	•	٠	٠				. "		14

Seat substitutions page 189.



K-3037 S V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADCLIFF K-3040 V

White Vitreous China Syphon Jet Closet with Extended Front Lip; Top Inlet, Floor Outlet with Seat Action Flush Valve


1	SF	E	C	IF	I	C	4	T	I	O	N	ĺ

White Vitreous China Syphon Jet Closet with Top Inlet, Floor Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Height 15 inches, Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge, White Vitreous China Bolt Caps and N. P. Brass Seat Action Flush Valve.

Approximate weight Seat only, pounds	,]	pack	æd,	Cl	oset	onl	у,	pou	nds			78
beat only, poullds	•	•		•								14



K-3040 V Roughing Measurements
Measurements may vary from 1/4 to 1/2 inch





MADCLIFF K-3045


White Vitreous China Syphon Jet Closet with Raised Rear Vent; Top Inlet, Floor Outlet with K-3111 Tank

SPECIFICATION:

White Vitreous China Syphon Jet Closet with Raised Rear Vent, Top Inlet, Floor Outlet and 2-inch Brass Spud. Height 15 inches, Opening of Bowl 11x13 inches, Water Surface 10x12 inches and 3-inch Water Seal. White Celluloid-covered Seat and Cover with heavy N. P. Brass Bar Hinge, One-piece White Vitreous China Flush Pipe Cover and White Vitreous China Bolt Caps. K-3111 White Vitreous China Tank, fitted with N. P. Brass Flush Connection, Top Side Lever with China Handle and Escutcheon, Heavy Brass Ball Cock, Flush Valve with Large Overflow and 3/8-inch I. P. Size N. P. Brass Supply Pipe to wall with China Handle Stop Valve and China Wall Escutcheon. Valve and China Wall Escutcheon.


Approximate weight,	pac	ked	con	mpl	ete,	pot	ınd	s			185
Closet only, pounds											90


NOTE: This Closet is also made with extended front lip. Seat substitutions page 188.



THE REPORT OF THE PARTY OF THE

K-3045 Roughing Measurements







MADEVINE K-3060 V


White Vitreous China Wall Hanging Blow-out Pattern Closet with Extended Front Lip; Top Inlet, Wall Outlet with Flush Valve

SPECIFICATION

White Vitreous China Wall Hanging Blow-out Pattern Closet with Top Inlet, Wall Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight	, 1	pack	ed,	Clo	oset	only	,	pound	ls .	•		78
Seat only, pounds				•-								14


Seat substitutions page 189.



THE THE PROPERTY OF THE PARTY.

K-3060 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADEVINE K-3062 V


White Vitreous China Wall Hanging Blow-out Pattern Closet with Extended Front Lip; Back Inlet, Wall Outlet with Concealed Flush Valve

SPECIFICATION:

White Vitreous China Wall Hanging Blow-out Pattern Closet with Back Inlet, Wall Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge and Concealed Flush Valve with China Oscillating Handle through wall.

Approximate weigh	t,	pack	ed	, Cl	oset	t onl	y,	pou	ind	S .		78
Seat only, pounds	٠		•									14

Seat substitutions page 189.



TO SHE WAS TO THE WAS TO SHE WAS

K-3062 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





MADEVINE K-3063 S V


White Vitreous China Wall Hanging Blow-out Pattern Closet with Extended Front Lip; Side Inlet, Wall Outlet with Flush Valve

SPECIFICATION:


White Vitreous China Wall Hanging Blow-out Pattern Closet with Side Inlet, Wall Outlet, Extended Front Lip and 1½- or 1½-inch Brass Spud. Opening of Bowl 11x15 inches, Water Surface 10x13 inches and 3-inch Water Seal. Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge and N. P. Brass Flush Valve with China Oscillating Handle.

App	roxima	ate v	weight,	pac	ked,	CI	oset	on	ly,	pou	nds			78
Seat	only,	pou	nds .											14

Seat substitutions page 189.



K-3063 S V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch





SEATS FOR ARISTON-MADERA SILENT CLOSETS

K-3070

White Celluloid-covered Seat and Cover with Concealed Post Hinge. Also furnished with Mahogany finish.

K-3071

White Celluloid-covered Seat and Cover, open front and back, with heavy White Covered Brass Bar Hinge. Also furnished with Mahogany finish.

K-3072

Mahogany Finished Seat, no Cover, open front and back, with heavy N. P. Brass Bar Hinge. Also furnished with White Celluloid-covered finish.

K-3073

White Celluloid-covered Seat and Cover, open front and back, with Concealed Brass Bar Hinge. Also furnished with Mahogany finish.

K-3074

Mahogany Finished Seat, no Cover, open front and back, with Concealed Brass Bar Hinge. Also furnished with White Celluloid-covered finish.



SEATS FOR MADERNO CLOSETS

K-3075

Mahogany Finished Seat and Cover, open front, with Concealed Post Hinge. Also furnished with White Celluloid-covered finish.

K-3077

White Celluloid-covered Seat and Cover with Concealed Post Hinge.

K-3076

Mahogany Finished Seat, no Cover, open front, with Concealed Post Hinge. Also furnished with White Celluloid-covered finish.

K-3078

Mahogany Finished Seat and Cover with Concealed Post Hinge.



SEATS FOR REGULAR CLOSETS

K-3080

Mahogany Finished Seat and Cover with heavy N. P. Brass Bar Hinge.

K-3082

White Celluloid-covered Seat, no Cover, with heavy N. P. Brass Bar Hinge.

K-3081

Mahogany Finished Seat, no Cover, with heavy N. P. Brass Bar Hinge.

K-3083

White Celluloid-covered Seat and Cover with heavy N. P. Brass Bar Hinge.

SONS COMPANY



SEATS FOR REGULAR CLOSETS WITH LIP

K-3085

Mahogany Finished Seat and Cover, open front, with heavy N. P. Brass Bar Hinge.

K-3087

White Celluloid-covered Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge.

K-3086

Mahogany Finished Seat, no Cover, open front, with heavy N. P. Brass Bar Hinge.

K-3088

White Celluloid-covered Seat and Cover, open front, with heavy N. P. Brass Bar Hinge.



MADORA K-3110

White Vitreous China Straight Front Large Size Tank with Top Side Lever.

Approximate weight, packed complete, pounds . . . 98

MADORA K-3111

White Vitreous China Straight Front Tank with Top Side Lever.

Approximate weight, packed complete, pounds . . . 77

MADORA K-3112


White Vitreous China Straight Front Large Size Tank with Underpull Lever.

Approximate weight, packed complete, pounds . . . 101

MADABECK K-3115


White Vitreous China Straight Front High-up Tank.


Capacity, gallons . 4 6 8
Approximate weight,
packed complete,
pounds . . . 65 90 105



K-3110, K-3111, K-3112 and K-3115 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch







The Madstone Urinal



NTIL the perfection of the present pedestal type of urinal, many different kinds were tried but each proved unsatisfactory because it was not sanitary. As a result of this dissatisfaction water closets have been used quite generally instead of urinals. While this practice is entirely sanitary, the water closet

is too low for convenient use as a urinal.

The perfected type of syphon jet pedestal urinal is constructed the same as a water closet except that it is higher and designed especially for use as a urinal. The lip in front is low enough for convenient use and the back is high enough to prevent soiling.

As the urinal is installed chiefly in public places, it is subjected to hard usage. Therefore, it must be so designed and constructed as to be strong, service-giving and above all else sanitary. The wall hanging type of urinal, since it has only a small outlet, easily becomes clogged with cigar or cigarette butts and other waste material. In fact this type is unsatisfactory because the wall soon becomes fouled and the fixture cannot be properly cleaned.

One type of urinal in general use today is that known as the stall urinal. One advantage of this urinal is that the floor may be drained into it. But this is a costly installation. The use of a regular floor drain is just as effective and it costs much less.

There are a great many points in favor of the Madstone pedestal urinal over the stall type. The most important one is that the Madstone is made of vitreous china. This material is guaranteed not to craze or crack. Therefore, it cannot absorb urine.

The stall urinal is made of a fire clay body and consequently it is liable to crazing which means cracks developing in the glaze. When this happens the soft, porous body under the glaze absorbs urine, giving off a bad odor. This condition can never be corrected because once urine is absorbed by the body it cannot be eliminated and the toilet room becomes ill-smelling and very unsanitary. The urinal itself also becomes discolored.

There are some stall urinals made of vitreous ware. They are of small size and their cost is almost prohibitive. In these, the disadvantages of the fire clay body have been overcome, but they have all the other objectionable features of the stall urinal.

Because of the small opening in the outlet grid, the stall urinal readily becomes clogged and often overflows onto the floor making a most unsanitary and unhealthy condition.

In stall urinal installations there are necessarily a number of seams where the stalls are fitted together. These seams hold dirt and tend to make the urinal unsanitary. In the Madstone pedestal urinal all this is eliminated because the urinal is one individual unit. Since the stall urinal does not carry a body of water, the undiluted urine remains if it is not flushed each time it is used. Thus a bad odor is given off. The Madstone has a body of water $6\frac{1}{2} \times 6\frac{1}{2}$ inches. Furthermore, it has a flushing rim which encircles the entire top of the urinal, hence, there is no dry urinating surface on the Madstone because the inside walls are thoroughly washed and cleansed at every flush.

The top plan of the Madstone (shown on page 203) illustrates the exceptionally long extension of the lip on the Pedestal urinal as compared with that of the urinal stall. This extension eliminates the wet unsanitary floor generally found in public toilets where stall urinals are used. It also prevents urine from splashing on the shoes and clothing of the user.

The Madstone pedestal urinal is constructed on the same principle as the modern water closet, inasmuch as it is flushed and cleansed by syphonic action. It is the cleanest and best urinal made because all waste matter is removed at each flush. The opening through the trap is as large as that of most water closets and being of a syphon action type, clogging is practically impossible. This is plainly illustrated in the cross-section shown on page 203.

The Madstone is made in two heights, one for adults and the other for children. The larger one is 24 inches from the floor to the top of the front lip and the juvenile height is $18\frac{1}{2}$ inches. The juvenile height Madstone is ideal for use in schools where children are apt to throw refuse in the urinal. Having a full 2-inch trap opening it will not become stopped up.

There is as much need for a urinal for women as for men. The danger of spreading disease from sitting on unsanitary water closet seats applies equally to both sexes. The juvenile height Madstone is the only urinal made for use by women. Being only $18\frac{1}{2}$ inches from the floor to the top of the front lip, women can use it comfortably without getting any part of the body against the urinal and without disarranging the clothing. The long, narrow, extended lip eliminates the possibility of getting urine on the floor.

Being installed in the same manner as a water closet, the installation cost of the Madstone is kept at a minimum. Considering the necessary piping and other fittings and the cost of installation, the pedestal urinal is less costly than the stall type.




MADESTA K-3201 V

White Vitreous China Syphon Jet Flat Back Urinal with Lip and Flushing Rim; Top Inlet, Wall Outlet with Flush Valve


SPECIFICATION:

White Vitreous China Flat Back Syphon Jet Urinal with Lip, Flushing Rim, Top Inlet and Wall Outlet. Fitted with 1-inch N. P. Brass Inlet Spud, 2-inch Brass Female Outlet Connection and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight, packed, Urinal only, pounds 68



K-3201 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADVANCE K-3208

White Vitreous China Flat Back Urinal with Lip and Flushing Rim


Specification:
White Vitreous China Flat Back Urinal with Lip, Flushing Rim, Integral Strainer, Top Inlet and Bottom Outlet with Horn

Approximate weight, packed, Urinal only, pounds 38



THE RESIDENCE OF THE PROPERTY OF THE PARTY O

K-3208 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3210

White Vitreous China Syphon Jet Pedestal Urinal with Extended Lip; Back Inlet, Floor Outlet with K-3115 Tank

SPECIFICATION:

CIFICATION:
White Vitreous China Syphon Jet Pedestal Urinal with Back Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 11/4- or 11/2-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 61/2x61/2 inches and 3-inch Water Seal. Water-way through trap same size as Water Closet. White Vitreous China Bolt Caps. K-3115 White Vitreous China High Tank, fitted with N. P. Brass Flush Pipe, N. P. Brass Chain with China Handle, Heavy Brass Ball Cock and Flush Valve and N. P. Brass Tank Supports. Supports.

Approximate weight,	pac	ked	COI	mpl	lete,	po	und	is			240
Urinal only, pounds	•	•	•	٠	•						118



THE STATE OF THE S

K-3210 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3211 V

White Vitreous China Syphon Jet Pedestal Urinal with Extended Lip; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:


CIFICATION:
White Vitreous China Syphon Jet Pedestal Urinal with Top Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½- or 1½- inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through trap same size as Water Closet. White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight, packed, Urinal only, pounds . . . 118



K-3211 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3212 V

White Vitreous China Syphon Jet Pedestal Urinal with Extended Lip; Back Inlet, Floor Outlet with Concealed Flush Valve

SPECIFICATION:

White Vitreous China Syphon Jet Pedestal Urinal with Back Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½- or 1½-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through Trap same size as Water Closet. White Vitreous China Bolt Caps and Concealed Flush Valve with China Oscillating Handle through wall.


Approximate weight, packed, Urinal only, pounds . . . 118



THE RESIDENCE OF THE PARTY OF T

K-3212 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch





MADSTONE K-3214 V


White Vitreous China Syphon Jet Pedestal Urinal with Extended Lip; Back Inlet, Floor Outlet with Foot Acting Flush Valve

SPECIFICATION:

White Vitreous China Syphon Jet Pedestal Urinal with Back Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½- or 1½-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through trap same size as Water Closet. White Vitreous China Bolt Caps and N. P. Brass Foot Acting Flush Valve.

Approximate weight, packed, Urinal only, pounds . . . 118

SONS COMPANY



K-3214 V Roughing Measurements Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3215

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Extended Lip; Top Inlet, Floor Outlet with K-3115 Tank

SPECIFICATION:

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Top Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½- or 1½-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through Trap same size as Water Closet. White Vitreous China Bolt Caps. K-3115 White Vitreous China High Tank, fitted with N. P. Brass Flush Pipe, Heavy Brass Control Cock, Automatic Flush Valve and N. P. Brass Tank Supports.

Approximate weight,	pac	ked	со	mp	lete	, p	oun	ds			227
Urinal only, pounds	•	•						٠			105



TO SERVICE STORY OF THE SERVIC

K-3215 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3220 V

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Extended Lip; Top Inlet, Floor Outlet with Flush Valve

SPECIFICATION:

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Top Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½- or 1½-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through trap same size as Water Closet. White Vitreous China Bolt Caps and N. P. Brass Flush Valve with China Oscillating Handle.

Approximate weight, packed, Urinal only, pounds . . . 105



K-3220 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch






MADSTONE K-3225 V

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Extended Lip; Back Inlet, Floor Outlet with Concealed Flush Valve

SPECIFICATION:

White Vitreous China Juvenile Height Syphon Jet Pedestal Urinal with Back Inlet, Floor Outlet, High Back, Extended Front Lip, Flushing Rim and 1½ or 1½-inch Brass Spud. Opening of Bowl 10x18 inches, Water Surface 6½x6½ inches and 3-inch Water Seal. Water-way through trap same size as Water Closet. White Vitreous China Bolt Caps and Concealed Flush Valve with China Oscillating Handle through wall.


Approximate weight, packed, Urinal only, pounds . . . 105





THE RESIDENCE OF THE PARTY OF T

K-3225 V Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch









MADIATOR K-3308

White Vitreous China Slop Sink with Integral Back and Vitreous China Floor Outlet Trap Standard


SPECIFICATION:

White Vitreous China Slop Sink with 13-inch Integral Back; Size 18x22 inches, with White Vitreous China Trap Standard with Floor Outlet and Cleanout Plug, N. P. Brass Outlet Strainer and Plug connecting Sink and Trap Standard. Fitted with 3/4-inch N. P. Brass Compression Faucets with China Indexed Handles.

DIMENSIONS:

Approximate weight, packed	l, (Sink	on	ly,	po	unc	Is		18x22 220
Sink and Trap, pounds .						٠			245

SONS COMPANY



THE STRUCK OF STRUCK STRUCK STRUCKS

K-3308 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch

Slop sinks should be made of vitreous china rather than any other material because of the hard usage to which they are subjected.





MADAGON K-3312


White Vitreous China Syphon Jet Slop Sink with Flushing Rim and Integral Trap; Top Inlet and Floor Outlet

SPECIFICATION:

White Vitreous China Syphon Jet Slop Sink with Flushing Rim and Integral Trap; Size 18x18 inches, with Top Inlet and Floor Outlet. Water Surface 12x12 inches and 3-inch Water Seal. Fitted with N. P. Brass Combination Supply Fixture with Compression Valves with China Indexed Handles and Supply Nozzle with pail hook. White Vitreous China Bolt Caps. K-3115 White Vitreous China High Tank, fitted with N. P. Brass Flush Pipe, N. P. Brass Chain with China Handle, Heavy Brass Ball Cock and Flush Valve and N. P. Brass Tank Supports.

DIMENSIONS:


Sink, inches							18x18
							IOAIO
Approximate	weight,	packed,	Sink	only,	pounds		135



TO STUDY OF STREET STREET, STR

K-3312 Roughing Measurements Measurements may vary from 1/4 to 1/2 inch







MADWIN K-3316

White Vitreous China All Roll Rim Slop Sink with Adjustable Enameled Iron Wall Outlet Trap Standard


SPECIFICATION:

White Vitreous China All Roll Rim Slop Sink; Size 18x22 inches, with Iron-enameled, inside and outside, Adjustable Trap Standard with Wall Outlet and Cleanout Plug, N. P. Brass Outlet Strainer and Plug connecting Sink and Trap Standard. Fitted with 3/4-inch Female N. P. Brass Combination Compression Supply Fixture with China Indexed Handles and Supply Nozzle with pail hook.

DIMENSIONS:

Sink, inches									10.00
Approximate weight packed	Cin	i					•	•	18x22
Approximate weight, packed, Sink and Trap, pounds	SIII	K C	my,	po	unc	18			130
trap, pourids .	•	•	•	•					160

SONS COMPANY




THE PROPERTY OF THE PROPERTY OF THE PARTY OF


K-3316 Roughing Measurements

Measurements may vary from 1/4 to 1/2 inch

Slop sinks should be made of vitreous china rather than any other material because of the hard usage to which they are subjected.










WHITE VITREOUS CHINA BATHROOM ACCESSORIES

K-615 Wall Hanging Soap Dish
K-639 Robe Hook
K-640 Roll Toilet Paper Holder
K-641 Roll Toilet Paper Holder, with spring bar
K-648 Mug and Holder
K-649 Vase and Holder
K-650 Soap Dish and Holder
K-650 Sponge Holder
K-651 18"xx" Shelf and Brackets
24"x5" Shelf and Brackets
30"x5" Shelf and Brackets
24"x5" Shelf and Brackets
Combination Shelf, Mug and Vase
K-659 12"x114" Grab Rail and Brackets
12"x1" Towel Bar and Brackets
30"x1" Towel Bar and Brackets
30"x1" Towel Bar and Brackets
30"x1" Towel Bar and Brackets
X-666 Combination Tumbler and Tooth Brush Holder
K-673 18"x34" Towel Bar and Brackets
K-674 18"x34" Towel Bar and Brackets
X-674 18"x34" Towel Bar and Brackets
Small Robe Hook



ALIEN COLUMN TO ALIEN TO ALIEN

WHITE VITREOUS CHINA "TILE-IN" BATHROOM ACCESSORIES

K-51 Soap Dish and Holder, 6"x3" back
K-53 Tooth Brush Holder, 6"x3" back
K-54 Vase and Holder, 6"x3" back
K-55 Mug and Holder, 6"x3" back
K-56 Robe Hook, 6"x3" back
K-56 Robe Hook, 6"x3" back
K-57 Robe Hook, 6"x3" back
K-67 18"x1" square Towel Bar and Brackets, 6"x3" backs
24"x1" square Towel Bar and Brackets, 6"x3" backs
30"x1" square Towel Bar and Brackets, 6"x3" backs
30"x5" Shelf and Brackets, 6"x3" backs
30"x5" Combination Shelf, Mug and Vase, 6"x3" backs
24"x5" Combination Shelf, Mug and Vase, 6"x3" backs
30"x5" Combination Shelf, Mug and Vase, 6"x3" backs
4"x5" Combination Shelf, Mug and Vase, 6"x3" backs
30"x5" Combination Shelf, Mug and Vase, 6"x3" backs
4"x5" Combination Shelf, Mug and Vase, 6"x3" backs
30"x5" Combination Shelf, Mug and Vase, 6"x3" backs
4"x5" Combination Shelf, Mug and Vase, 6"x5" flange
4"x5" Combination Shelf, M



WHITE VITREOUS CHINA TRIMMINGS

Escutcheons											
K-642 K-644 K-645 K-646 K-647 K-927 K-909 K-910	For 3/4" I. P.	K-922 K-911	For 1 1/2" I. P. For 2" I. P. Valve Escutcheon for all Madbury Lavator- ies, Manicuring Table, Dental Lavatory and all Bidet fixtures Transfer Valve Escutch- eon for K-2831 Bidet Ice Water Valve Es- cutcheon for Ice Water Lavatories Escutcheon for All-china Tank Levers								
	Hall	ules									

K-180	Pull Handle with metal part for K-3112 Tank
**-101	Pull Handle with Rubber Bumper and metal part for High Tanks
K-923	Transfer Valve Handle with metal part for K-2831 Bidet

K-912 Handle with metal part for K-2831 Bidet

Knobs

K-925 Waste Knob with metal part for all Madbury Lavatories,
Manicuring Table, and all Bidet fixtures
K-921 Ice Water Knob with metal part for Ice Water Lavatories

K-114 11/8"

Bolt Caps K-617 1 16" with side cut off

K-119 1 5 "



TITAN K-914

31/4-inch size

For use on supply valves furnished on Madbury lavatories.

TITAN K-926

23/4-inch size

For use on supply valves furnished on the K-2451 Dental Lavatory, K-2303 Manicuring Table and all Bidet Fixtures.

TITAN K-907

23/4-inch size

For use on stop valves and lavatory faucets.

TITAN K-908

31/4-inch size

For use on bath and lavatory fixtures.

The Titan handle has been especially designed to overcome the danger of breakage.



MADSPRAY K-700

White Vitreous China Shower Head, 4½ inches in diameter, with ½-inch female spud.

MADSPRAY K-701

White Vitreous China Shower Head, 6½ inches in diameter, with ½ or ¾-inch female spud.



K-3090

One-piece White Vitreous China Flush Pipe Cover for Straight Connection.

K-3092

- AND TO STORY OF THE STORY OF

One-piece White Vitreous China Flush Pipe Cover for 1½-inch Offset Connection.

The illustration marked "frontview" shows the front view of both the K-3090 and K-3092 Flush Pipe Covers.

K-3094


White Vitreous China Oval Vent Collar for K-2915 and K-2918 Closet Combinations.


K-3096

White Vitreous China Round Vent Collar for K-3045 Closet Combination.

K-3098

White Vitreous China Lavatory Soap Dish with metal part.







PORNER K-5015

White Porcelain Light Weight Bath with Integral Base; Tiled-in Back, End and Floor, Bottom Outlet

SPECIFICATION:

CIFICATION:
White Porcelain Light Weight Bath with Integral Base and Square End; to tile-in Back, End and Floor, in right- or left-hand corner; Size (see below), with Bottom Outlet. All exposed surfaces glazed. Fitted with Concealed Compression Supply and Waste Fixture with 1½-inch O. D. Tail-piece on Waste and ½-inch Supply Valves; Waste and Supply Valves having China Cross-arm Handles and Escutcheons. Shower with ½-inch Built-in Compression Valves with China Cross-arm Handles and Escutcheons on front of wall; Bent Arm and 4½-inch White Vitreous China Shower Head: N. P. Bent Arm and 41/2-inch White Vitreous China Shower Head; N. P. Brass Curtain Holder with White Duck Curtain with Snaps and Hold-back Hook.

DIMENSIONS:

Length, outside					•					5'	5' 6"
Width, outside Height, outside			•				٠		٠	31"	31"
Approximate wei	ght,	pa	ckec	i, p	oun	ds		:		19" 925	19" 1100

NOTE: This Bath is furnished for either right- or left-hand corner. The fittings may be built in the wall or exposed on the opposite end of the Bath.



PORCESS K-5020

White Porcelain Light Weight Recess Bath with Integral Base; Bottom Outlet

SPECIFICATION:

CIFICATION:
White Porcelain Light Weight Recess Bath with Integral Base and Square Ends; Size (see below), with Bottom Outlet. All exposed surfaces glazed. Fitted with Concealed Compression Supply and Waste Fixture with 1½-inch O. D. Tail-piece on Waste and ½-inch Supply Valves; Waste and Supply Valves having China Cross-arm Handles and Escutcheons. Shower with ½-inch Built-in Mixing Valve with China Lever Handle, China Shower Head, N. P. Brass Contain Halden with White Duck Curtain with Spans and Hold-Curtain Holder with White Duck Curtain with Snaps and Holdback Hook.

DIMENSIONS:

Length, outside .	,									_	5' 6"
Width, outside							٠	٠		31"	31"
Height, outside			٠.	٠			•	•	•	19"	
Approximate weigh	t,	pa	cked	,]	ooun	ids			**	925	1100

NOTE: The fittings in this Bath may be built in the wall at either end or may be built in the back wall.



PORSINK K-5025

White Porcelain Roll Rim Kitchen Sink with Integral Back, Integral Drain Board and Porcelain Legs

SPECIFICATION:

CIFICATION:
White Porcelain Roll Rim Kitchen Sink with 9-inch Integral Back and Integral Drain Board; Size (see below), with two Porcelain Legs and Supports to wall. Fitted with N. P. Brass Quaturn Mixing Faucet with China Indexed Handles, Swinging Spout, China Soap Dish, Rubber Hose and Spray. Connections for ½-inch or ¾-inch Iron Pipe, Female. N. P. Brass Outlet Strainer with Coupling and ½-inch N. P. Brass "P" Trap to wall with N. P. Brass Escutcheon.

DIMENSIONS:

Sink, inches Approximate	we	ight	, pa	ack	ed o	com	plet	e,		26x53	26x62
pounds									450	620	735

Distance Rim to floor, 35 inches. Other heights if desired.



AND MOSTO PHOEND HOR OF THE

PORPAN K-5030

White Porcelain Roll Rim Kitchen Sink with Integral Back and Porcelain Legs

SPECIFICATION:

White Porcelain Roll Rim Kitchen Sink with 9-inch Integral Back; Size (see below), with two Porcelain Legs and Supports to wall. Inside depth 7 inches and outside depth 9 inches. Fitted with N. P. Brass Quaturn Mixing Faucet with China Indexed Handles, Swinging Spout, China Soap Dish, Rubber Hose and Spray. Connections for ½-inch or ¾-inch Iron Pipe, Female. N. P. Brass Outlet Strainer with Coupling and 1½-inch N. P. Brass "P" Trap to wall with N. P. Brass Escutcheon.

DIMENSIONS:

 Sink, inches
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 <t

Distance Rim to floor, 35 inches. Other heights if desired.



PORDRAIN K-5035

White Porcelain Roll Rim Kitchen Sink with Integral Back, two Integral Drain Boards and Porcelain Legs

SPECIFICATION:

White Porcelain Roll Rim Kitchen Sink with 9-inch Integral Back and two Integral Drain Boards; Size 22x50 inches with two Porcelain Legs and Supports to wall. Fitted with N. P. Brass Quaturn Mixing Faucet with China Indexed Handles, Swinging Spout, China Soap Dish, Rubber Hose and Spray. Connections for ½-inch or ¾-inch Iron Pipe, Female. N. P. Brass Outlet Strainer with Coupling and 1½-inch N. P. Brass "P" Trap to wall with N. P. Escutcheon.

DIMENSIONS:

Sink, inches												22x50
Sink proper,	inches		-	٠.	٠	٠.						 15x20
Approximate	weigh	t,	pack	ced	con	nple	ete,	pou	ands	S.		490

Distance Rim to floor, 35 inches.



CHIESTOPH CHICAGO CONTO

PORCOMB K-5045

White Porcelain Roll Rim Combination Kitchen Sink and Laundry Tray with Integral Back, Wood Drain Board and Porcelain Legs

SPECIFICATION:

White Porcelain Roll Rim Combination Kitchen Sink and Laundry Tray with 6-inch Integral Back and Centre Dividing Partition. Size 24x50 inches with two Porcelain Legs and Supports to wall. Inside depth of Sink 10 inches. Inside depth of Tray 14 inches. Fitted with N. P. Quaturn Faucets for the Sink, N. P. Stub Compression Faucets for the Tray, N. P. Strainer and Coupling, N. P. Outlet Plug and Stopper, N. P. Continuous Waste, 1½-inch N. P. Trap to wall with Escutcheon and Special Wood Drain Board with N. P. Hinges.

DIMENSIONS:

Sink and Tray, inches . 24x50 Approximate weight, packed complete, pounds

Distance Rim to floor, 34 inches.



PORTUB K-5050

White Porcelain Laundry Trays with Integral Back and Porcelain Legs

SPECIFICATION:

White Porcelain Laundry Trays with 6-inch Integral Back; Size (see below), with Porcelain Legs and Supports to wall. Fitted with N. P. Brass Quaturn Faucets with China Indexed Handles, N. P. Outlet Plugs and Stoppers, N. P. Continuous Waste, 1½-inch N. P. Trap to wall and Heavy Wood Wringer Base.

DIMENSIONS:

Tray, inches Approximate	 weigh	ıt,	pac	ked	con	iplei	te.	26x26	26x30	26x36
								315	380	420

Distance Rim to floor, 34 inches.



PROPERTY OF THE STREET

PORTRAY K-5055

White Porcelain All Roll Rim Laundry Trays with Porcelain Legs

SPECIFICATION:

White Porcelain All Roll Rim Laundry Trays; Size (see below), with Porcelain Legs and Supports to wall. Fitted with N. P. Brass Stub Compression Faucets, N. P. Outlet Plugs and Stoppers, N. P. Continuous Waste, 1½-inch N. P. Trap to floor and Heavy Wood Wringer Base.

DIMENSIONS:

Tray, inches		24x24	20X20	20X3U	20X30
Approximate weight, plete, pounds .		275	295	315	350
piete, pounds .	 	213	293	010	000

Distance Rim to floor, 34 inches.

General Instructions



HE information given here is arranged so as to secure for our customers and those using this catalog the fullest degree of service.

Order by plate number whenever possible. When doing so, mention explicitly if we are to furnish everything as shown. We recommend ordering all

fixtures complete.

Every effort is put forth to keep all promises of delivery. Failure to keep them from causes beyond our control does not make us liable.

All goods are shipped at buyer's risk.

We have been especially careful in preparing the weights and measurements on all pieces; however, owing to the variations in the manufacture we cannot guarantee them absolutely.

Any goods proving defective when used for the purpose manufactured will be replaced, but no claim for labor or damages will be allowed.

GENERAL INDEX

Bathroom Accessories	224 225
Bath Tubs	020 022
Bidets	232–233
China Trimmings	86–92
China Trimmings	. 226–227, 229
Closets	100–184
Dressing Table	52
Drinking Fountains.	76–80
Fittings, Lavatory	72–73
Laundry Trays	237-230
Lavatories	10-48, 54-70
Manicuring Table	50
Seats	186-180
Shower Heads	200
Sinks	-220 224 227
Tanks	100
Urinals	105 212
	196-212

Index

Accessories, Bathroom224-225, 228-229	Defective Material (see General
Accessories, Tile-in Bathroom225	Instructions)
	Dental Lavatory 70
Baby Closet	Dentists' Lavatories
Barber Lavatories	Description of Bidets
Barracks Lavatories	Description of Closets
Bars, Towel	Description of Urinals 194–195
Bathroom Accessories 224-225, 228-229	Development of Pottery
Bathroom Accessories, Tile-in225	Doctors' Lavatories
Bathroom Trimmings	Dressing Table
Bath Tubs	Drinking Fountain, Pedestal
Beauty Parlor Lavatory	Drinking Fountain, Pedestal. 76 Drinking Fountain, Prison. 67
	Drinking Fountains, Wall
Bidet, Cold Water	g =
Bidets	Electric Heater
Bidet, Transfer Valve 92	Escutcheons, China226
Blow-out Closets	
Bolt Caps226	Factory Lavatories
Bowls, Water Closet (see Closets)	Factory, View of (Frontispiece)
	Faucets for Lavatories72-73
Caps, Bolt	Faucets, Push Button 73
Child's Closet	Faucets, Self-closing72-73
China Escutcheons	Fittings, Lavatory72-73
China Handles	Flush Pipe Covers229
China Knobs	Flush Valve Closets 110-114, 126,
China Shower Heads228	132-134, 138, 144, 152, 158, 164-166,
Claims (see General Instructions)	172-176, 180-184
Closet, Baby	Foot Action Urinal
Closets, Blow-out	Fountain, Pedestal Drinking 76
Closet, Child's	Fountains, Wall Drinking78-80
Closet Combinations100-108, 118-124,	
128–130, 136, 140–142, 146–150	Grab Rails
Closets, Flush Valve110-114, 126,	Grab Rans224-225
132–134, 138, 144, 152, 158, 164–166,	
172–176, 180–184	Handles, China226-227
Closet, High Tank	Hand Rails224–225
Closets, History of	Heater, Electric225
Closets, Integral Seat	Heads, China Shower228
Closets, Low-down Tank100–108,	High Tank190
116–124, 128–130, 136, 140–142, 146–150,	High Tank Closets
154, 160–162, 168–170, 178	History of Closets96–99
	History of Pottery
Closets, Reversed Trap	Holder, Lavatory Soap
Closet Seats	Holders, Soap
Closets, Seat Action	Holders, Sponge
Closets, Side Inlet 110, 138, 166, 174, 184	Holder, Tumbler
Closets, Syphon Action	Hooks, Robe224-225
Closets, Syphon Jet 100–134, 160–178	Hoppers (see Closets)
Closet Tanks190	Hospital Lavatories
Cold Water Bidet	1
Collars, Vent	Ice Water Lavatories
Combination Lavatory Fixture	
Combination Sink and Laundry Tray237	Instructions for Cleansing Overflow 9
Combinations, Closet100-108, 116-124,	Instructions for using Bidets84-85
128–130, 136, 140–142, 146–150, 154,	Integral Seat Closets
160–162, 168–170, 178	
Comfort Station Lavatory, Public 36	Juvenile Closet
Covers, Flush Pipe229	Juvenile Syphon Jet Urinals208-212
Damaged Material (see General	Kitchen Sinks234-237
Instructions)	Knobs, China

Laundry Tray, Combination Sink and 237 Laundry Trays 237-239 Lavatories, Barber 32-34, 64 Lavatories, Barracks 46-48 Lavatory, Beauty Parlor 56 Lavatory, Dental 70 Lavatories, Dentists' 36-38 Lavatories, Doctors' 36-38 Lavatories, Factory 46-48 Lavatory Faucets 72-73 Lavatory Fittings 72-73 Lavatory Fixture, Combination 72	Shelves, Bathroom 224-225 Shower Heads, China 228 Side Inlet Closets 110, 138, 166, 174, 184 Sink and Laundry Tray, Combination 237 Sinks, Kitchen 234-237 Sinks, Slop 216-220 Sink, Syphon Jet Slop 218 Slop Sinks 216-220 Slop Sinks, Syphon Jet 218 Soap Holders 224-225, 229 Soap Holders 229 Sponge Holders 224-225
Lavatories, Hospital. 20, 36–38 Lavatories, Ice Water 12, 26, 44	Surgical Lavatories 20 26 20
Lavatory, Manicuring 50	Syphon Action Closets. 140 154
Lavatories, Pedestal	Syphon Jet Closets 100–134, 160–178 Syphon Jet Slop Sink 218
Lavatory Plugs 73	Syphon let Urinal, Foot Action
Lavatory, Prison	Syphon Jet Urinals 106 200_212
Lavatories, Single Leg	Syphon Jet Urinals, Juvenile208-212
Lavatory Soap Holder 220	Toble Deserte
Lavatories, Space Saving. 66	Table, Dressing
Lavatories, Surgical	Tank Closet, High
Lavatories, Two Leg	Talik Closets, Low 100 100
Lavatory Waste Fixture. 72–73	110-124, 128-130, 136, 140-142, 146-150
Low Tank Closets 100-108, 116-124	154, 160-162, 168-170, 178
128-130, 136, 140-142, 146-150, 154	Tank, High
160–162, 168–170, 178 Low Tanks190	The-in Dathroom Accessories
	Tollet Paper Holders
Manicuring Table	TOOTH Brush Holders 204 205
Mug Holders	Towel Bars
	Trays, Laundry.
Orders (see General Instructions)	I filmmings. Bathroom
Oval Vent Collar	Tubs, Bath. 232–233 Tumbler Holder. 225
	225
Packing Goods (see General	Urinals, Description of
Instructions) Paper Holders	Urinal, Foot Action
Parlor Lavatory, Beauty. 56	Utiliais, Juvenile Syphon Let 200 212
Pedestal Drinking Fountain 76	Urinals, Pedestal
Pedestal Urinals	Urinal, Tank
Plugs, Lavatory	Urinals, Wall Hanging 106 100
Pop-up Waste Fixture 72–73 Porcelain Fixtures 232–239	Urinals, Women's
Pottery, History of	Valve Closets Flush
Prison Closet	Valve Closets, Flush110-114, 126, 132-134, 144, 152, 158, 164-166,
Prison Drinking Fountain 67 Prison Lawston 67	172_176 190 194
Prison Lavatory 66 Public Comfort Station Lavatory 36	Value of Vitreous China Lavatories 6.0
Detailed Edition Editatory 30	vase Holders
Quick Compression Faucets 73	Vent Closets
	View of Factory (Frontispiece)
Rails, Grab	
Reversed Trap Closets 136–138 Robe Hooks 224–225	Wall Drinking Fountains78-80
Rods, Towel	Wall Hanging Closets 180_184
Roughing Measurements (opposite	Wall Hanging Lavatories 54-70 Wall Hanging Urinals 196-198
each Fixture)	wash Dasins (see Lavatories)
Seat Action Closets	Wash Trays
Seats, Closet	waste rixture, Pop-up. 72_73
Self-closing Faucets	Water Closets (see Closets) Women's Urinals208-212
	208-212

